

Part Number	Package	Configuration	Type	VDS (V)	VGS (±V)	Vces (V)	Vge (±V)	IDS (A) Ta=25°C	Ic (A) 25°C	Vce (sat) (Typ V)	RDS(ON) (mΩ max) at VGS= 10V	4.5V	2.5V	1.8V	Ciss (pF)	Qg (nC)	PD (W) 25°C
APS04N60H	TO-252	Single	N	620	30 / 30	-	-	-	-	-	2500	-	-	-	1200 / 740	30 / 19	-
AP99T03GS	TO-263	Single	N	30	20 / 20	-	-	-	-	-	2.5	4	-	-	8000 / 5000	128 / 80	-
AP99T03GP	TO-220	Single	N	30	20 / 20	-	-	-	-	-	2.5	4	-	-	8000 / 5000	128 / 80	-
AP9990GMT-L	PMPAK-5x6L	Single	N	60	20 / 20	-	-	23.8	-	-	5	-	-	-	3700 / 2320	84 / 53	-
AP9990GMT	PMPAK-5x6	Single	N	60	20 / 20	-	-	23.8	-	-	5	-	-	-	3700 / 2320	84 / 53	-
AP9982M	SO-8	Single	N	80	20 / 20	-	-	3.2	-	-	90	110	-	-	2000 / 1250	33 / 21	-
AP9982M	SO-8	Dual	N	80	20 / 20	-	-	3.2	-	-	90	110	-	-	2000 / 1250	33 / 21	-
AP9976GM	SO-8	Dual	N	60	20 / 20	-	-	7.6	-	-	20.5	38	-	-	2100 / 1320	50 / 30	-
AP9971GM	SO-8	Dual	N	60	25 / 25	-	-	5	-	-	50	60	-	-	1658 / 1658	32 / 32	-
AP9950AGP	TO-220	Single	N	68	20 / 20	-	-	-	-	-	10.5	-	-	-	5280 / 3300	93 / 58	-
AP9950AGH	TO-252	Single	N	68	20 / 20	-	-	-	-	-	10.5	-	-	-	5280 / 3300	93 / 58	-
AP9938GEY	2928-8	Dual Common-Drain (with ESD Diode)	N	20	8 / 8	-	-	7.5	-	-	-	16	22	26	1720 / 1075	26 / 16	-
AP9938GEM	SO-8	Dual (with ESD Diode)	N	20	8 / 8	-	-	8.5	-	-	-	18	24	28	1710 / 1070	26 / 16	-
AP9938AGEY	2928-8	Dual Common-Drain (with ESD Diode)	N	20	12 / 12	-	-	7.5	-	-	-	16	24	-	1360 / 850	19 / 12	-
AP9936GM	SO-8	Dual	N	30	20 / 20	-	-	5	-	-	50	80	-	-	240 / 240	6 / 6	-
AP9467GM	SO-8	Single	N	40	20 / 20	-	-	-	-	-	-	-	-	-	1660 / 970	16 / 10	-
AP9444CYT	PMPAK-3x3	Single	N	20	12 / 12	-	-	31.3	-	-	-	2	3.5	-	7840 / 4900	91 / 57	-
AP93T03AGH	TO-252	Single	N	30	20 / 20	-	-	-	-	-	4.8	7.2	-	-	2720 / 1700	30 / 19	-
AP9120GH	TO-252	Single	P	-200	20 / 20	-	-	-	-	-	680	-	-	-	1210 / 1210	56 / 35	-
AP8NA2R2CXT	PMPAK-5x6X	Single	N	80	20 / 20	-	-	35	-	-	2.2	-	-	-	9328 / 5830	179 / 112	-
AP8NA1R2TL	TOLL	Single	N	80	20 / 20	-	-	-	-	-	1.2	-	-	-	25120 / 15700	424 / 265	-
AP8N8ROP	TO-220	Single	N	80	20 / 20	-	-	-	-	-	8	-	-	-	3200 / 2000	59 / 37	-
AP8N8ROMT	PMPAK-5x6	Single	N	80	20 / 20	-	-	18.5	-	-	8	-	-	-	3200 / 2000	59 / 37	-
AP8N8ROI	TO-251	Single	N	80	20 / 20	-	-	-	-	-	8	-	-	-	3200 / 2000	59 / 37	-
AP8N8ROI	TO-220CFM	Single	N	80	20 / 20	-	-	-	-	-	8	-	-	-	3200 / 2000	59 / 37	-
AP8N8R0H	TO-252	Single	N	80	20 / 20	-	-	-	-	-	8	-	-	-	3200 / 2000	59 / 37	-
AP8N4R2MT	PMPAK-5x6	Single	N	80	20 / 20	-	-	26.2	-	-	4.2	-	-	-	6800 / 4250	107 / 61	-
AP8N3R5CMT	PMPAK-5x6	Single	N	80	20 / 20	-	-	28.2	-	-	3.5	-	-	-	7760 / 4850	126 / 79	-
AP8A090M	SO-8	Dual	N	80	20 / 20	-	-	3.2	-	-	90	110	-	-	2000 / 1250	33 / 21	-
AP83T03GJB	TO-251S	Single	N	30	20 / 20	-	-	-	-	-	6	11	-	-	1840 / 1150	34 / 21	-
AP80SL990BJB	TO-251S	Single	N	800	20 / 20	-	-	-	-	-	990	-	-	-	1760 / 1100	43 / 27	-
AP80SL990BI	TO-220CFM	Single	N	800	20 / 20	-	-	-	-	-	990	-	-	-	1760 / 1100	43 / 27	-
AP80SL990BH	TO-252	Single	N	800	20 / 20	-	-	-	-	-	990	-	-	-	1760 / 1100	43 / 27	-
AP80SL650AI	TO-220CFM	Single	N	800	20 / 20	-	-	-	-	-	650	-	-	-	2560 / 1600	61 / 38	-
AP80SL400DI	TO-220CFM	Single	N	800	20 / 20	-	-	-	-	-	400	-	-	-	3520 / 2200	94 / 59	-
AP80SL400AS	TO-263	Single	N	800	20 / 20	-	-	-	-	-	400	-	-	-	3680 / 2300	90 / 56	-
AP80SL400AP	TO-220	Single	N	800	20 / 20	-	-	-	-	-	400	-	-	-	3680 / 2300	90 / 56	-
AP80SL400AI	TO-220CFM	Single	N	800	20 / 20	-	-	-	-	-	400	-	-	-	3888 / 2430	90 / 56	-
AP80SA400DI	TO-220CFM	Single	N	800	20 / 20	-	-	-	-	-	400	-	-	-	2496 / 1560	68 / 43	-
AP70SL950AJB	TO-251S	Single	N	700	20 / 20	-	-	-	-	-	950	-	-	-	880 / 550	22 / 14	-
AP70SL950AJ	TO-251	Single	N	700	20 / 20	-	-	-	-	-	950	-	-	-	880 / 550	22 / 14	-
AP70SL950AI	TO-220CFM	Single	N	700	20 / 20	-	-	-	-	-	950	-	-	-	880 / 550	22 / 14	-
AP70SL950AH	TO-252	Single	N	700	20 / 20	-	-	-	-	-	950	-	-	-	880 / 550	22 / 14	-
AP70SL500AP	TO-220	Single	N	700	20 / 20	-	-	-	-	-	500	-	-	-	1840 / 1150	48 / 30	-
AP70SL500AJB	TO-251S	Single	N	700	20 / 20	-	-	-	-	-	500	-	-	-	1840 / 1150	48 / 30	-
AP70SL500AI	TO-220CFM	Single	N	700	20 / 20	-	-	-	-	-	500	-	-	-	1840 / 1150	48 / 30	-
AP70SL500AH	TO-252	Single	N	700	20 / 20	-	-	-	-	-	500	-	-	-	1840 / 1150	48 / 30	-
AP70SL380AS	TO-263	Single	N	700	20 / 20	-	-	-	-	-	380	-	-	-	1984 / 1240	52 / 33	-
AP70SL380AJ	TO-251	Single	N	700	20 / 20	-	-	-	-	-	380	-	-	-	1984 / 1240	52 / 33	-
AP70SL380AI	TO-220CFM	Single	N	700	20 / 20	-	-	-	-	-	380	-	-	-	1984 / 1240	52 / 33	-
AP70SL380AH	TO-252	Single	N	700	20 / 20	-	-	-	-	-	380	-	-	-	1984 / 1240	52 / 33	-
AP70SL250AS	TO-263	Single	N	700	20 / 20	-	-	-	-	-	250	-	-	-	3648 / 2280	90 / 56	-
AP70SL250AI	TO-220CFM	Single	N	700	20 / 20	-	-	-	-	-	250	-	-	-	3648 / 2280	90 / 56	-
AP70SL1K4BK2	SOT-223-2L	Single	N	700	20 / 20	-	-	-	-	-	1400	-	-	-	608 / 380	18 / 11	-
AP70SL1K4BJB	TO-251S	Single	N	700	20 / 20	-	-	-	-	-	1400	-	-	-	608 / 380	18 / 11	-
AP70SL1K4BH	TO-252	Single	N	700	20 / 20	-	-	-	-	-	1400	-	-	-	608 / 380	18 / 11	-
AP70SL1K4AJB	TO-251S	Single	N	700	20 / 20	-	-	-	-	-	1400	-	-	-	608 / 380	16 / 10	-
AP70SL1K4AI	TO-220CFM	Single	N	700	20 / 20	-	-	-	-	-	1400	-	-	-	608 / 380	16 / 10	-

AP70SL1K4AH	TO-252	Single	N	700	20 / 20	-	-	-	-	-	-	1400	-	-	-	608 / 380	16 / 10	-
AP70SC1K4DH	TO-252	Single	N	700	20 / 20	-	-	-	-	-	-	1400	-	-	-	448 / 280	16 / 10	-
AP70BM600H	TO-252	Single	N	700	20 / 20	-	-	-	-	-	-	600	-	-	-	1000 / 625	28 / 17	-
AP70BM380IT	TO-220CFM-T	Single	N	700	20 / 20	-	-	-	-	-	-	380	-	-	-	1600 / 1000	42 / 26	-
AP70BM380H	TO-252	Single	N	700	20 / 20	-	-	-	-	-	-	380	-	-	-	1600 / 1000	42 / 26	-
AP70AN3K3I	TO-220CFM	Single	N	700	30 / 30	-	-	-	-	-	-	3300	-	-	-	896 / 560	24 / 15	-
AP70AN3K3H	TO-252	Single	N	700	30 / 30	-	-	-	-	-	-	3300	-	-	-	896 / 560	24 / 15	-
AP70AN1K4I	TO-220CFM	Single	N	700	30 / 30	-	-	-	-	-	-	1400	-	-	-	2000 / 1250	46 / 29	-
AP70AN1K0I	TO-220CFM	Single	N	500	30 / 30	-	-	-	-	-	-	1000	-	-	-	3136 / 1960	67 / 42	-
AP6P250N	SOT-23S	Single	P	-60	20 / 20	-	-	-1.6	-	-	-	250	300	-	-	720 / 450	8 / 5	-
AP6P250K	SOT-223	Single	P	-60	20 / 20	-	-	-2.4	-	-	-	250	300	-	-	720 / 450	8 / 5	-
AP6P050S	TO-263	Single	P	-60	20 / 20	-	-	-	-	-	-	50	70	-	-	2976 / 1860	52 / 33	-
AP6P050P	TO-220	Single	P	-60	20 / 20	-	-	-	-	-	-	50	70	-	-	2976 / 1860	52 / 33	-
AP6P050M	SO-8	Single	P	-60	20 / 20	-	-	-5.3	-	-	-	50	70	-	-	2912 / 1820	56 / 35	-
AP6P050I	TO-220CFM	Single	P	-60	20 / 20	-	-	-	-	-	-	50	70	-	-	2976 / 1860	52 / 33	-
AP6P050H	TO-252	Single	P	-60	20 / 20	-	-	-	-	-	-	50	70	-	-	2976 / 1860	52 / 33	-
AP6P025S	TO-263	Single	P	-60	20 / 20	-	-	-	-	-	-	25	30	-	-	6400 / 4000	59 / 37	-
AP6P025P	TO-220	Single	P	-60	20 / 20	-	-	-	-	-	-	25	30	-	-	6400 / 4000	59 / 37	-
AP6P025M	SO-8	Single	P	-60	20 / 20	-	-	-7.3	-	-	-	25	30	-	-	6400 / 4000	54 / 34	-
AP6P025I	TO-220CFM	Single	P	-60	20 / 20	-	-	-	-	-	-	25	30	-	-	6400 / 4000	59 / 37	-
AP6P025H	TO-252	Single	P	-60	20 / 20	-	-	-	-	-	-	25	30	-	-	6400 / 4000	59 / 37	-
AP6NB6R0LCMT	PMPAK-5x6	Single	N	60	20 / 20	-	-	-	-	-	-	6	9.4	-	-	2240 / 1400	39 / 24	-
AP6NA8R2H	TO-252	Single	N	60	20 / 20	-	-	-	-	-	-	8.2	-	-	-	2976 / 1860	56 / 35	-
AP6NA8ROCST	SPPAK-5x6	Single	N	60	20 / 20	-	-	18.5	-	-	-	8	-	-	-	1760 / 1100	40 / 25	-
AP6NA6R5P	TO-220	Single	N	60	20 / 20	-	-	-	-	-	-	6.5	-	-	-	2976 / 1860	56 / 35	-
AP6NA6R5M	SO-8	Single	N	60	20 / 20	-	-	15	-	-	-	6.5	-	-	-	2960 / 1850	52 / 33	-
AP6NA6R5LMT-L	PMPAK-5x6L	Single	N	60	20 / 20	-	-	21.6	-	-	-	6.5	-	-	-	3360 / 2100	44 / 28	-
AP6NA6R5JV	TO-251VS	Single	N	60	20 / 20	-	-	-	-	-	-	6.5	-	-	-	2976 / 1860	56 / 35	-
AP6NA6R5IT	TO-220CFM-T	Single	N	60	20 / 20	-	-	-	-	-	-	6.5	-	-	-	2976 / 1860	56 / 35	-
AP6NA6R5H	TO-252	Single	N	60	20 / 20	-	-	-	-	-	-	6.5	-	-	-	2976 / 1860	56 / 35	-
AP6NA6R3MT	PMPAK-5x6	Single	N	60	20 / 20	-	-	21.6	-	-	-	6.3	-	-	-	2960 / 1850	56 / 35	-
AP6NA6ROCMT-L	PMPAK-5x6L	Single	N	60	20 / 20	-	-	21.7	-	-	-	6	-	-	-	2960 / 1850	56 / 35	-
AP6NA4R6P	TO-220	Single	N	60	20 / 20	-	-	-	-	-	-	4.6	-	-	-	4160 / 2600	74 / 46	-
AP6NA4R6IT	TO-220CFM-T	Single	N	60	20 / 20	-	-	-	-	-	-	4.6	-	-	-	4160 / 2600	75 / 47	-
AP6NA4R2H	TO-252	Single	N	60	20 / 20	-	-	-	-	-	-	4.2	-	-	-	4160 / 2600	76 / 47	-
AP6NA4R0MT	PMPAK-5x6	Single	N	60	20 / 20	-	-	27	-	-	-	4	-	-	-	4160 / 2600	75 / 47	-
AP6NA3R8H	TO-252	Single	N	60	20 / 20	-	-	-	-	-	-	3.8	-	-	-	4800 / 3000	88 / 56	-
AP6NA3R5S	TO-263	Single	N	60	20 / 20	-	-	-	-	-	-	3.5	-	-	-	5440 / 3400	99 / 62	-
AP6NA3R5R	TO-262	Single	N	60	20 / 20	-	-	-	-	-	-	3.5	-	-	-	5440 / 3400	99 / 62	-
AP6NA3R5P	TO-220	Single	N	60	20 / 20	-	-	-	-	-	-	3.5	-	-	-	5440 / 3400	99 / 62	-
AP6NA3R5IT	TO-220CFM-T	Single	N	60	20 / 20	-	-	-	-	-	-	3.5	-	-	-	5440 / 3400	125 / 62	-
AP6NA3R5H	TO-252	Single	N	60	20 / 20	-	-	-	-	-	-	3.5	-	-	-	5440 / 3400	99 / 62	-
AP6NA3R4LIT	TO-220CFM-T	Single	N	60	20 / 20	-	-	-	-	-	-	3.4	-	-	-	4800 / 3000	104 / 65	-
AP6NA3R3LMT	PMPAK-5x6	Single	N	60	20 / 20	-	-	-	-	-	-	3.3	-	-	-	4800 / 3000	109 / 68	-
AP6NA3R3LI	TO-220CFM	Single	N	60	20 / 20	-	-	-	-	-	-	3.3	-	-	-	4880 / 3050	96 / 60	-
AP6NA3R2MT	PMPAK-5x6	Single	N	60	20 / 20	-	-	30	-	-	-	3.28	-	-	-	5440 / 3400	99 / 62	-
AP6NA3R2LMT	PMPAK-5x6	Single	N	60	20 / 20	-	-	30.8	-	-	-	3.2	-	-	-	4880 / 3050	187 / 65	-
AP6NA3R2CST	SPPAK-5x6	Single	N	60	20 / 20	-	-	29.6	-	-	-	3.2	-	-	-	4840 / 3025	88 / 55	-
AP6NA3R0H	TO-252	Single	N	60	20 / 20	-	-	-	-	-	-	3	-	-	-	6520 / 4075	112 / 70	-
AP6NA2R8MT	PMPAK-5x6	Single	N	60	20 / 20	-	-	32.5	-	-	-	2.8	-	-	-	6520 / 4075	112 / 70	-
AP6NA2R7IT	TO-220CFM-T	Single	N	60	20 / 20	-	-	-	-	-	-	2.78	-	-	-	8200 / 5125	139 / 87	-
AP6NA2R7I	TO-220CFM	Single	N	60	20 / 20	-	-	-	-	-	-	2.78	-	-	-	8200 / 5125	139 / 87	-
AP6NA2R5H	TO-252	Single	N	60	20 / 20	-	-	-	-	-	-	2.5	-	-	-	8128 / 5080	136 / 85	-
AP6NA2R4P	TO-220	Single	N	60	20 / 20	-	-	-	-	-	-	2.4	-	-	-	11680 / 7300	192 / 120	-
AP6NA2R4IT	TO-220CFM-T	Single	N	60	20 / 20	-	-	-	-	-	-	2.4	-	-	-	11600 / 7250	192 / 120	-
AP6NA2R3MT	PMPAK-5x6	Single	N	60	20 / 20	-	-	35.7	-	-	-	2.3	-	-	-	8128 / 5080	134 / 84	-
AP6NA1R7LCMT	PMPAK-5x6	Single	N	60	20 / 20	-	-	42	-	-	-	1.7	2.4	-	-	9440 / 5900	192 / 120	-
AP6NA1R7CMT	PMPAK-5x6	Single	N	60	20 / 20	-	-	41.6	-	-	-	1.7	-	-	-	8800 / 5500	160 / 100	-
AP6NA1R4CXT	PMPAK-5x6X	Single	N	60	20 / 20	-	-	44.6	-	-	-	1.45	-	-	-	11520 / 7200	195 / 122	-

AP6NA1R2LCXT	PMPAK-5x6X	Single	N	60	20 / 20	-	-	48.9	-	-	1.25	2.1	-	-	11520 / 7200	214 / 134	-
AP6NA1ROCST8	SPPAK-8x8	Single	N	60	20 / 20	-	-	55	-	-	1	-	-	-	16160 / 10100	282 / 176	-
AP6N6R8ALM	SO-8	Single	N	60	20 / 20	-	-	14.7	-	-	6.8	-	-	-	3360 / 2100	75 / 47	-
AP6N6R8ALJV	TO-251VS	Single	N	60	20 / 20	-	-	-	-	-	6.8	-	-	-	3360 / 2100	75 / 47	-
AP6N6R8ALH	TO-252	Single	N	60	20 / 20	-	-	-	-	-	6.8	-	-	-	3360 / 2100	75 / 47	-
AP6N6R5MT	PMPAK-5x6	Single	N	60	20 / 20	-	-	21.1	-	-	6.5	-	-	-	3328 / 2080	72 / 45	-
AP6N6R5H	TO-252	Single	N	60	20 / 20	-	-	-	-	-	6.5	-	-	-	3328 / 2080	52 / 33	-
AP6N3R8H	TO-252	Single	N	60	20 / 20	-	-	-	-	-	3.8	-	-	-	6240 / 3900	123 / 77	-
AP6N3R8ALI	TO-220CFM	Single	N	60	20 / 20	-	-	-	-	-	3.8	-	-	-	6240 / 3900	138 / 86	-
AP6N3R6R	TO-262	Single	N	60	20 / 20	-	-	-	-	-	3.6	-	-	-	8480 / 5300	168 / 105	-
AP6N3R5P	TO-220	Single	N	60	20 / 20	-	-	-	-	-	3.58	-	-	-	7200 / 4500	128 / 80	-
AP6N3R1LH	TO-252	Single	N	60	20 / 20	-	-	-	-	-	3.1	-	-	-	8928 / 5580	165 / 105	-
AP6N3R0LMT	PMPAK-5x6	Single	N	60	20 / -16	-	-	32.3	-	-	2.99	-	-	-	8960 / 5600	187 / 117	-
AP6N2R0QCMT	PMPAK-5x6	Single	N	60	20 / 20	-	-	38.4	-	-	2	-	-	-	7840 / 4900	122 / 76	-
AP6N100JV	TO-251VS	Single	N	60	20 / 20	-	-	-	-	-	100	125	-	-	672 / 420	16 / 10	-
AP6N100H	TO-252	Single	N	60	20 / 20	-	-	-	-	-	100	125	-	-	672 / 420	42659 / 42659	-
AP6N090Y	SOT-26	Single	N	60	20 / 20	-	-	3.5	-	-	90	120	-	-	672 / 420	16 / 10	-
AP6N090N	SOT-23S	Single	N	60	20 / 20	-	-	2.5	-	-	90	120	-	-	720 / 450	8 / 5	-
AP6N090M	SO-8	Single	N	60	20 / 20	-	-	4	-	-	90	120	-	-	672 / 420	16 / 10	-
AP6N090LK	SOT-223	Single	N	60	20 / 20	-	-	4.1	-	-	90	110	-	-	672 / 420	16 / 10	-
AP6N090K	SOT-223	Single	N	60	20 / 20	-	-	4.1	-	-	90	120	-	-	672 / 420	16 / 10	-
AP6N090G	SOT-89	Single	N	60	20 / 20	-	-	2.7	-	-	90	120	-	-	672 / 420	10 / 6	-
AP6N023H-AT	TO-252	Single	N	60	20 / 20	-	-	-	-	-	23	50	-	-	2832 / 1770	51 / 32	-
AP6N021YT	PMPAK-3x3	Single	N	60	20 / 20	-	-	9	-	-	21	45	-	-	2720 / 1700	54 / 34	-
AP6N021M	SO-8	Single	N	60	20 / 20	-	-	7.8	-	-	21	45	-	-	2720 / 1700	51 / 32	-
AP6C058YT	PMPAK-3x3	Complementary	P	-60	20 / 20	-	-	-4	-	-	90	125	-	-	1328 / 830	24 / 15	-
AP6C058YT	PMPAK-3x3	Complementary	N	60	20 / 20	-	-	4.5	-	-	58	70	-	-	1280 / 800	23 / 14	-
AP6C036MT	PMPAK-5x6	Complementary	P	-60	20 / 20	-	-	-5.2	-	-	72	88	-	-	2976 / 1860	25 / 16	-
AP6C036MT	PMPAK-5x6	Complementary	N	60	20 / 20	-	-	7.1	-	-	36	42	-	-	2800 / 1750	25 / 16	-
AP6C036M	SO-8	Complementary	P	-60	20 / 20	-	-	-4.2	-	-	72	88	-	-	2976 / 1860	25 / 16	-
AP6C036M	SO-8	Complementary	N	60	20 / 20	-	-	6	-	-	36	42	-	-	2720 / 1700	22 / 14	-
AP6C036H	TO-252-4L	Complementary Common-Drain	P	-60	20 / 20	-	-	-	-	-	75	90	-	-	2720 / 1700	24 / 15	-
AP6C036H	TO-252-4L	Complementary Common-Drain	N	60	20 / 20	-	-	-	-	-	36	42	-	-	2672 / 1670	24 / 15	-
AP6C036AMT	PMPAK-5x6	Complementary	P	-60	20 / 20	-	-	-4.6	-	-	90	125	-	-	1440 / 900	12 / 8	-
AP6C036AMT	PMPAK-5x6	Complementary	N	60	20 / 20	-	-	7.1	-	-	36	42	-	-	2800 / 1750	25 / 16	-
AP6C036AM	SO-8	Complementary	N	60	20 / 20	-	-	5.5	-	-	36	42	-	-	2912 / 1820	53 / 33	-
AP6C036AM	SO-8	Complementary	P	-60	20 / 20	-	-	-3.7	-	-	90	125	-	-	1488 / 930	29 / 18	-
AP6B1KOEU6	SOT-363	Dual (with ESD Diode)	P	-60	20 / 20	-	-	-390	-	-	1000	1400	-	-	136 / 85	4 / 2	-
AP6A100M	SO-8	Dual	N	60	20 / 20	-	-	3.3	-	-	100	125	-	-	672 / 420	16 / 10	-
AP6A038MT	PMPAK-5x6	Dual	N	60	20 / 20	-	-	6.7	-	-	38	55	-	-	1840 / 1150	32 / 20	-
AP6A038M	SO-8	Dual	N	60	20 / 20	-	-	5	-	-	38	55	-	-	1792 / 1120	32 / 20	-
AP6982GN2	DFN-2x2	Single	N	20	8 / 8	-	-	11	-	-	-	12.5	16	21	2400 / 1500	35 / 22	-
AP6980GN2	DFN-2x2	Single	N	30	20 / 20	-	-	10.3	-	-	14	24	-	-	1760 / 1100	15 / 9	-
AP6934MT	PMPAK-5x6	Dual(CH1)	N	30	20 / 20	-	-	14.2	-	-	5.5	8.8	-	-	1712 / 1070	30 / 19	-
AP6934MT	PMPAK-5x6	Dual(CH2)	N	30	16 / 16	-	-	23.3	-	-	2.45	3.6	-	-	4904 / 3065	86 / 54	-
AP6932MT	PMPAK-5x6	Dual(CH2)	N	30	20 / 20	-	-	22.9	-	-	2.5	3.9	-	-	3920 / 2450	64 / 40	-
AP6932MT	PMPAK-5x6	Dual(CH1)	N	30	20 / 20	-	-	14.2	-	-	5.5	8.8	-	-	1712 / 1070	30 / 19	-
AP6923GMT	PMPAK-5x6	Dual(CH2 With Schottky Diode)	N	30	12 / 12	-	-	18.5	-	-	7	11.5	-	-	3200 / 2000	27 / 17	-
AP6923GMT	PMPAK-5x6	Dual(CH1)	N	30	20 / 20	-	-	12.8	-	-	11	18.5	-	-	1840 / 1150	16 / 10	-
AP65SL600DI	TO-220CFM	Single	N	650	20 / 20	-	-	-	-	-	600	-	-	-	1232 / 770	35 / 22	-
AP65SL600DH	TO-252	Single	N	650	20 / 20	-	-	-	-	-	600	-	-	-	1232 / 710	35 / 22	-
AP65SL600AR	TO-262	Single	N	650	20 / 20	-	-	-	-	-	600	-	-	-	1184 / 740	32 / 20	-
AP65SL600AJ	TO-251	Single	N	650	20 / 20	-	-	-	-	-	600	-	-	-	1184 / 740	32 / 20	-
AP65SL600AIN	TO-220CFM-NL	Single	N	650	20 / 20	-	-	-	-	-	600	-	-	-	1184 / 740	32 / 20	-
AP65SL600AI	TO-220CFM	Single	N	650	20 / 20	-	-	-	-	-	600	-	-	-	1184 / 740	32 / 20	-
AP65SL600AH	TO-252	Single	N	650	20 / 20	-	-	-	-	-	600	-	-	-	1184 / 740	32 / 20	-
AP65SL380DIN	TO-220CFM-NL	Single	N	650	20 / 20	-	-	-	-	-	380	-	-	-	1860 / 1160	52 / 33	-
AP65SL380DI	TO-220CFM	Single	N	650	20 / 20	-	-	-	-	-	380	-	-	-	1860 / 1160	52 / 33	-
AP65SL380DH	TO-252	Single	N	650	20 / 20	-	-	-	-	-	380	-	-	-	1860 / 580	52 / 16	-

AP65SL380BR	TO-262	Single	N	650	20 / 20	-	-	-	-	-	380	-	-	-	1968 / 1230	51 / 32	-
AP65SL380AIN	TO-220CFM-NL	Single	N	650	20 / 20	-	-	-	-	-	380	-	-	-	1965 / 1230	51 / 32	-
AP65SL380AI	TO-220CFM	Single	N	650	20 / 20	-	-	-	-	-	380	-	-	-	1965 / 1230	51 / 32	-
AP65SL380AH	TO-252	Single	N	650	20 / 20	-	-	-	-	-	380	-	-	-	1965 / 1230	51 / 32	-
AP65SL210AFI	TO-220CFM	Single	N	650	20 / 20	-	-	-	-	-	210	-	-	-	3344 / 2090	91 / 57	-
AP65SL190DWL	TO-247	Single	N	650	20 / 20	-	-	-	-	-	190	-	-	-	3312 / 2070	92 / 58	-
AP65SL190DR	TO-262	Single	N	650	20 / 20	-	-	-	-	-	190	-	-	-	3312 / 2070	92 / 58	-
AP65SL190DP	TO-220	Single	N	650	20 / 20	-	-	-	-	-	190	-	-	-	3312 / 2070	92 / 58	-
AP65SL190DIN	TO-220CFM-NL	Single	N	650	20 / 20	-	-	-	-	-	190	-	-	-	3312 / 2070	92 / 58	-
AP65SL190DI	TO-220CFM	Single	N	650	20 / 20	-	-	-	-	-	190	-	-	-	3312 / 2070	92 / 58	-
AP65SL190AWL	TO-247	Single	N	650	20 / 20	-	-	-	-	-	190	-	-	-	3520 / 2200	88 / 55	-
AP65SL190AR	TO-262	Single	N	650	20 / 20	-	-	-	-	-	190	-	-	-	3520 / 2200	88 / 55	-
AP65SL190AP	TO-220	Single	N	650	20 / 20	-	-	-	-	-	190	-	-	-	3520 / 2200	88 / 55	-
AP65SL190AIN	TO-220CFM-NL	Single	N	650	20 / 20	-	-	-	-	-	190	-	-	-	3510 / 2195	88 / 55	-
AP65SL190AI	TO-220CFM	Single	N	650	20 / 20	-	-	-	-	-	190	-	-	-	3510 / 2195	88 / 55	-
AP65SL145AFI	TO-220CFM	Single	N	650	20 / 20	-	-	-	-	-	145	-	-	-	5120 / 3200	140 / 88	-
AP65SL130DR	TO-262	Single	N	650	20 / 20	-	-	-	-	-	130	-	-	-	5120 / 3200	140 / 88	-
AP65SL130DP	TO-220	Single	N	650	20 / 20	-	-	-	-	-	130	-	-	-	5120 / 3200	140 / 88	-
AP65SL130DI	TO-220CFM	Single	N	650	20 / 20	-	-	-	-	-	130	-	-	-	5120 / 3200	140 / 88	-
AP65SL130AWL	TO-247	Single	N	650	20 / 20	-	-	-	-	-	130	-	-	-	5408 / 3380	131 / 82	-
AP65SL130AS	TO-263	Single	N	650	20 / 20	-	-	-	-	-	130	-	-	-	5408 / 3380	131 / 82	-
AP65SL130AR	TO-262	Single	N	650	20 / 20	-	-	-	-	-	130	-	-	-	5408 / 3380	131 / 82	-
AP65SL130AP	TO-220	Single	N	650	20 / 20	-	-	-	-	-	130	-	-	-	5408 / 3380	131 / 82	-
AP65SL130AI	TO-220CFM	Single	N	650	20 / 20	-	-	-	-	-	130	-	-	-	5408 / 3380	131 / 82	-
AP65SL105AFWL	TO-247	Single	N	650	20 / 20	-	-	-	-	-	105	-	-	-	6880 / 4300	177 / 111	-
AP65SL105AFS	TO-263	Single	N	650	20 / 20	-	-	-	-	-	105	-	-	-	6880 / 4300	177 / 111	-
AP65SL099DWL	TO-247	Single	N	650	20 / 20	-	-	-	-	-	99	-	-	-	6720 / 4200	181 / 113	-
AP65SL099DR	TO-262	Single	N	650	20 / 20	-	-	-	-	-	99	-	-	-	6720 / 4200	181 / 113	-
AP65SL099DP	TO-220	Single	N	650	20 / 20	-	-	-	-	-	99	-	-	-	6720 / 4200	181 / 113	-
AP65SL099DI	TO-220CFM	Single	N	650	20 / 20	-	-	-	-	-	99	-	-	-	6720 / 4200	181 / 113	-
AP65SL099AWL	TO-247	Single	N	650	20 / 20	-	-	-	-	-	99	-	-	-	7220 / 4515	165 / 103	-
AP65SL099AS	TO-263	Single	N	650	20 / 20	-	-	-	-	-	99	-	-	-	7220 / 4515	165 / 103	-
AP65SL045AFWL	TO-247	Single	N	650	20 / 20	-	-	-	-	-	45	-	-	-	16800 / 10500	437 / 173	-
AP65SL041AWL	TO-247	Single	N	650	20 / 20	-	-	-	-	-	41	-	-	-	17280 / 10800	410 / 256	-
AP65SE190DH	TO-252	Single	N	650	20 / 20	-	-	-	-	-	190	-	-	-	3520 / 2200	75 / 47	-
AP65SE190DDT8	PDFN 8x8_HV	Single	N	650	20 / 20	-	-	-	-	-	190	-	-	-	3520 / 2200	75 / 47	-
AP65SE180DIT	TO-220CFM-T	Single	N	650	20 / 20	-	-	-	-	-	180	-	-	-	3520 / 2200	75 / 47	-
AP65SC420DH	TO-252	Single	N	650	20 / 20	-	-	-	-	-	420	-	-	-	1040 / 650	29 / 18	-
AP65SC380DIT	TO-220CFM-T	Single	N	650	20 / 20	-	-	-	-	-	380	-	-	-	1280 / 800	35 / 22	-
AP65SC360DH	TO-252	Single	N	650	20 / 20	-	-	-	-	-	360	-	-	-	1280 / 800	35 / 22	-
AP65SC220DH	TO-252	Single	N	650	20 / 20	-	-	-	-	-	220	-	-	-	1920 / 1200	48 / 30	-
AP65SC210DDT8	PDFN 8x8_HV	Single	N	650	20 / 20	-	-	-	-	-	210	-	-	-	2176 / 1360	56 / 35	-
AP65SC190DIT	TO-220CFM-T	Single	N	650	20 / 20	-	-	-	-	-	190	-	-	-	2240 / 1400	56 / 35	-
AP65SA600DIN	TO-220CFM-NL	Single	N	650	20 / 20	-	-	-	-	-	600	-	-	-	1040 / 650	32 / 20	-
AP65SA600DH	TO-252	Single	N	650	20 / 20	-	-	-	-	-	600	-	-	-	1040 / 650	32 / 20	-
AP65SA430ADR	TO-262	Single	N	650	20 / 20	-	-	-	-	-	438	-	-	-	1264 / 790	36 / 22	-
AP65SA420DR	TO-262	Single	N	650	20 / 20	-	-	-	-	-	420	-	-	-	1216 / 760	35 / 22	-
AP65SA420DIN	TO-220CFM-NL	Single	N	650	20 / 20	-	-	-	-	-	420	-	-	-	1216 / 760	35 / 22	-
AP65SA420DI	TO-220CFM	Single	N	650	20 / 20	-	-	-	-	-	420	-	-	-	1216 / 760	35 / 22	-
AP65SA420DH	TO-252	Single	N	650	20 / 20	-	-	-	-	-	420	-	-	-	1216 / 760	35 / 22	-
AP65SA320DH	TO-252	Single	N	650	20 / 20	-	-	-	-	-	320	-	-	-	1680 / 1050	48 / 30	-
AP65SA210DDT8	PDFN 8x8_HV	Single	N	650	20 / 20	-	-	-	-	-	210	-	-	-	2456 / 1535	70 / 44	-
AP65SA190DR	TO-262	Single	N	650	20 / 20	-	-	-	-	-	190	-	-	-	2432 / 1520	68 / 43	-
AP65SA190DP	TO-220	Single	N	650	20 / 20	-	-	-	-	-	190	-	-	-	2432 / 1520	68 / 43	-
AP65SA190DIN	TO-220CFM-NL	Single	N	650	20 / 20	-	-	-	-	-	190	-	-	-	2432 / 1520	68 / 43	-
AP65SA190DI	TO-220CFM	Single	N	650	20 / 20	-	-	-	-	-	190	-	-	-	2432 / 1520	68 / 43	-
AP65SA190ADP	TO-220	Single	N	650	20 / 20	-	-	-	-	-	195	-	-	-	2688 / 1680	72 / 45	-
AP65SA190ADI	TO-220CFM	Single	N	650	20 / 20	-	-	-	-	-	195	-	-	-	2688 / 1680	72 / 45	-
AP65SA145DDT8	PDFN 8x8_HV	Single	N	650	20 / 20	-	-	-	-	-	145	-	-	-	3920 / 2450	110 / 69	-

AP65SA130DR	TO-262	Single	N	650	20 / 20	-	-	-	-	-	-	130	-	-	-	3920 / 2450	110 / 69	-
AP65SA130DP	TO-220	Single	N	650	20 / 20	-	-	-	-	-	-	130	-	-	-	3920 / 2450	110 / 69	-
AP65SA130DI	TO-220CFM	Single	N	650	20 / 20	-	-	-	-	-	-	130	-	-	-	3920 / 2450	110 / 69	-
AP65SA074FWL	TO-247	Single	N	650	20 / 20	-	-	-	-	-	-	74	-	-	-	7840 / 4900	203 / 127	-
AP65SA074DP	TO-220	Single	N	650	20 / 20	-	-	-	-	-	-	74	-	-	-	7840 / 4900	203 / 127	-
AP65CM220EH	TO-252	Single	N	650	20 / 20	-	-	-	-	-	-	220	-	-	-	2208 / 1380	52 / 33	-
AP65CM220EDT8	PDFN 8x8_HV	Single	N	650	20 / 20	-	-	-	-	-	-	220	-	-	-	2208 / 1380	52 / 33	-
AP65CM200EIT	TO-220CFM-T	Single	N	650	20 / 20	-	-	-	-	-	-	200	-	-	-	2208 / 1380	52 / 33	-
AP65BM190DT8	PDFN 8x8_HV	Single	N	650	20 / 20	-	-	-	-	-	-	190	-	-	-	3040 / 1900	72 / 45	-
AP65BM180IT	TO-220CFM-T	Single	N	650	20 / 20	-	-	-	-	-	-	180	-	-	-	3040 / 1900	72 / 45	-
AP65AN750P	TO-220	Single	N	650	30 / 30	-	-	-	-	-	-	750	-	-	-	3280 / 2050	68 / 43	-
AP65AN750IT	TO-220CFM-T	Single	N	650	30 / 30	-	-	-	-	-	-	750	-	-	-	3280 / 2050	68 / 43	-
AP65AN750IN	TO-220CFM-NL	Single	N	650	30 / 30	-	-	-	-	-	-	750	-	-	-	3280 / 2050	68 / 43	-
AP65AN750I	TO-220CFM	Single	N	600	30 / 30	-	-	-	-	-	-	750	-	-	-	2688 / 1680	59 / 37	-
AP65AN470IT	TO-220CFM-T	Single	N	650	30 / 30	-	-	-	-	-	-	470	-	-	-	5376 / 3360	109 / 68	-
AP65AN470I	TO-220CFM	Single	N	650	30 / 30	-	-	-	-	-	-	470	-	-	-	5376 / 3360	109 / 68	-
AP65AN2K5IN	TO-220CFM-NL	Single	N	650	30 / 30	-	-	-	-	-	-	2500	-	-	-	896 / 560	24 / 15	-
AP65AN2K5I	TO-220CFM	Single	N	650	30 / 30	-	-	-	-	-	-	2500	-	-	-	896 / 560	24 / 15	-
AP65AN2K5H	TO-252	Single	N	650	30 / 30	-	-	-	-	-	-	2500	-	-	-	896 / 560	24 / 15	-
AP65AN1K2S	TO-263	Single	N	650	30 / 30	-	-	-	-	-	-	1200	-	-	-	2048 / 1280	44 / 28	-
AP65AN1K2P	TO-220	Single	N	650	30 / 30	-	-	-	-	-	-	1200	-	-	-	2048 / 1280	44 / 28	-
AP65AN1K2J	TO-251	Single	N	650	30 / 30	-	-	-	-	-	-	1200	-	-	-	2048 / 1280	44 / 28	-
AP65AN1K2IT	TO-220CFM-T	Single	N	650	30 / 30	-	-	-	-	-	-	1200	-	-	-	2048 / 1280	44 / 28	-
AP65AN1K2IN	TO-220CFM-NL	Single	N	650	30 / 30	-	-	-	-	-	-	1200	-	-	-	2048 / 1280	44 / 28	-
AP65AN1K2I	TO-220CFM	Single	N	650	30 / 30	-	-	-	-	-	-	1200	-	-	-	2048 / 1280	44 / 28	-
AP60T10GS	TO-263	Single	N	100	20 / 20	-	-	-	-	-	-	18	-	-	-	4500 / 2800	90 / 55	-
AP60SL650AFI	TO-220CFM	Single	N	600	20 / 20	-	-	-	-	-	-	650	-	-	-	1072 / 670	32 / 20	-
AP60SL650AFH	TO-252	Single	N	600	20 / 20	-	-	-	-	-	-	650	-	-	-	1072 / 670	32 / 20	-
AP60SL600DIN	TO-220CFM-NL	Single	N	600	20 / 20	-	-	-	-	-	-	600	-	-	-	1072 / 670	32 / 20	-
AP60SL600DI	TO-220CFM	Single	N	600	20 / 20	-	-	-	-	-	-	600	-	-	-	1072 / 670	32 / 20	-
AP60SL600DH	TO-252	Single	N	600	20 / 20	-	-	-	-	-	-	600	-	-	-	1072 / 670	32 / 20	-
AP60SL600AJ	TO-251	Single	N	600	20 / 20	-	-	-	-	-	-	600	-	-	-	1008 / 630	28 / 18	-
AP60SL600AIN	TO-220CFM-NL	Single	N	600	20 / 20	-	-	-	-	-	-	600	-	-	-	1008 / 630	28 / 18	-
AP60SL600AI	TO-220CFM	Single	N	600	20 / 20	-	-	-	-	-	-	600	-	-	-	1008 / 630	28 / 18	-
AP60SL600AH	TO-252	Single	N	600	20 / 20	-	-	-	-	-	-	600	-	-	-	1008 / 630	28 / 18	-
AP60SL380AH	TO-252	Single	N	600	20 / 20	-	-	-	-	-	-	380	-	-	-	1965 / 1230	51 / 32	-
AP60SL300AFI	TO-220CFM	Single	N	600	20 / 20	-	-	-	-	-	-	300	-	-	-	2176 / 1360	62 / 39	-
AP60SL280DI	TO-220CFM	Single	N	600	20 / 20	-	-	-	-	-	-	280	-	-	-	2128 / 1330	62 / 39	-
AP60SL280AIN	TO-220CFM-NL	Single	N	600	20 / 20	-	-	-	-	-	-	280	-	-	-	2080 / 1300	57 / 36	-
AP60SL280AI	TO-220CFM	Single	N	600	20 / 20	-	-	-	-	-	-	280	-	-	-	2080 / 1300	57 / 36	-
AP60SL160DS	TO-263	single	N	600	20 / 20	-	-	-	-	-	-	160	-	-	-	3296 / 3296	94 / 94	-
AP60SL160DP	TO-220	Single	N	600	20 / 20	-	-	-	-	-	-	160	-	-	-	3296 / 2060	94 / 59	-
AP60SL160DIT	TO-220CFM-T	Single	N	600	20 / 20	-	-	-	-	-	-	160	-	-	-	3296 / 2060	94 / 59	-
AP60SL160DIN	TO-220CFM-NL	single	N	600	20 / 20	-	-	-	-	-	-	160	-	-	-	3296 / 3296	94 / 94	-
AP60SL160DI	TO-220CFM	single	N	600	20 / 20	-	-	-	-	-	-	160	-	-	-	3296 / 3296	94 / 94	-
AP60SL150AR	TO-262	Single	N	600	20 / 20	-	-	-	-	-	-	150	-	-	-	3440 / 2150	90 / 56	-
AP60SL150AP	TO-220	Single	N	600	20 / 20	-	-	-	-	-	-	150	-	-	-	3440 / 2150	90 / 56	-
AP60SL150AI	TO-220CFM	Single	N	600	20 / 20	-	-	-	-	-	-	150	-	-	-	3440 / 2150	90 / 56	-
AP60SL115DS	TO-263	Single	N	600	20 / 20	-	-	-	-	-	-	115	-	-	-	5120 / 3200	145 / 91	-
AP60SL115DR	TO-262	Single	N	600	20 / 20	-	-	-	-	-	-	115	-	-	-	5120 / 3200	145 / 91	-
AP60SL115DI	TO-220CFM	Single	N	600	20 / 20	-	-	1.92	-	-	-	115	-	-	-	5120 / 3200	145 / 91	-
AP60SL115AI	TO-220CFM	Single	N	600	20 / 20	-	-	-	-	-	-	115	-	-	-	3920 / 2450	116 / 73	-
AP60SE150DH	TO-252	Single	N	600	20 / 20	-	-	-	-	-	-	150	-	-	-	3440 / 2150	76 / 48	-
AP60SE150DDT8	PDFN 8x8_HV	Single	N	600	20 / 20	-	-	-	-	-	-	150	-	-	-	3440 / 2150	76 / 48	-
AP60SE140DIT	TO-220CFM-T	Single	N	600	20 / 20	-	-	-	-	-	-	140	-	-	-	3440 / 2150	76 / 48	-
AP60SC600DIT	TO-220CFM-T	Single	N	600	20 / 20	-	-	-	-	-	-	600	-	-	-	720 / 450	22 / 14	-
AP60SC600DH	TO-252	Single	N	600	20 / 20	-	-	-	-	-	-	600	-	-	-	720 / 450	22 / 14	-
AP60SC380DIT	TO-220CFM-T	Single	N	600	20 / 20	-	-	-	-	-	-	380	-	-	-	1016 / 635	28 / 18	-
AP60SC380DI	TO-220CFM	Single	N	600	20 / 20	-	-	-	-	-	-	380	-	-	-	1016 / 635	28 / 18	-

AP60SC380DH	TO-252	Single	N	600	20 / 20	-	-	-	-	-	-	380	-	-	-	1016 / 635	28 / 18	-
AP60SC320DIT	TO-220CFM-T	Single	N	600	20 / 20	-	-	-	-	-	-	320	-	-	-	1280 / 800	35 / 22	-
AP60SC320DH	TO-252	Single	N	600	20 / 20	-	-	-	-	-	-	320	-	-	-	1280 / 800	35 / 22	-
AP60SC280DIT	TO-220CFM-T	Single	N	600	20 / 20	-	-	-	-	-	-	280	-	-	-	1440 / 900	40 / 25	-
AP60SC280DH	TO-252	Single	N	600	20 / 20	-	-	-	-	-	-	280	-	-	-	1440 / 900	40 / 25	-
AP60SC280ADIT	TO-220CFM-T	Single	N	600	20 / 20	-	-	-	-	-	-	280	-	-	-	1488 / 930	38 / 24	-
AP60SC280ADH	TO-252	Single	N	600	20 / 20	-	-	-	-	-	-	280	-	-	-	1488 / 930	38 / 24	-
AP60SC200DH	TO-252	Single	N	600	20 / 20	-	-	-	-	-	-	200	-	-	-	1920 / 1200	48 / 30	-
AP60SC200DDT8	PDFN 8x8_HV	Single	N	600	20 / 20	-	-	-	-	-	-	200	-	-	-	2240 / 1400	56 / 35	-
AP60SC180UDIT	TO-220CFM-T	Single	N	600	20 / 20	-	-	-	-	-	-	180	-	-	-	2240 / 1400	57 / 36	-
AP60SC180DR	TO-262	Single	N	600	20 / 20	-	-	-	-	-	-	180	-	-	-	2240 / 1400	56 / 35	-
AP60SC180DP	TO-220	Single	N	600	20 / 20	-	-	20	-	-	-	180	-	-	-	2240 / 1400	56 / 35	-
AP60SC180DIT	TO-220CFM-T	Single	N	600	20 / 20	-	-	-	-	-	-	180	-	-	-	2240 / 1400	56 / 35	-
AP60SC160DIT	TO-220CFM-T	Single	N	600	20 / 20	-	-	-	-	-	-	160	-	-	-	2160 / 1350	57 / 36	-
AP60SC125DDT8	PDFN 8x8_HV	Single	N	600	20 / 20	-	-	-	-	-	-	125	-	-	-	3440 / 2150	83 / 52	-
AP60SC120DR	TO-262	Single	N	600	20 / 20	-	-	-	-	-	-	120	-	-	-	3440 / 2150	83 / 52	-
AP60SC120DP	TO-220	Single	N	600	20 / 20	-	-	-	-	-	-	120	-	-	-	3440 / 2150	83 / 52	-
AP60SC120DIT	TO-220CFM-T	Single	N	600	20 / 20	-	-	-	-	-	-	120	-	-	-	3440 / 2150	83 / 52	-
AP60SC099DDT8	PDFN 8x8_HV	Single	N	600	20 / 20	-	-	-	-	-	-	99	-	-	-	4416 / 2760	112 / 70	-
AP60SC095DWL	TO-247	Single	N	600	20 / 20	-	-	-	-	-	-	95	-	-	-	4576 / 2860	112 / 70	-
AP60SC095DP	TO-220	Single	N	600	20 / 20	-	-	-	-	-	-	95	-	-	-	4576 / 2860	112 / 70	-
AP60SC095DIT	TO-220CFM-T	Single	N	600	20 / 20	-	-	-	-	-	-	95	-	-	-	4416 / 2760	112 / 70	-
AP60SC090DTL	TOLL_HV	Single	N	600	20 / 20	-	-	-	-	-	-	90	-	-	-	4560 / 2850	114 / 71	-
AP60SC085DS	TO-263	Single	N	600	20 / 20	-	-	-	-	-	-	85	-	-	-	4560 / 2850	113 / 71	-
AP60SC085DIT	TO-220CFM-T	Single	N	600	20 / 20	-	-	-	-	-	-	85	-	-	-	4560 / 2850	113 / 71	-
AP60SC085DDT8	PDFN 8x8_HV	Single	N	600	20 / 20	-	-	-	-	-	-	85	-	-	-	5920 / 3700	144 / 90	-
AP60SC065DDT8	PDFN 8x8_HV	Single	N	600	20 / 20	-	-	-	-	-	-	65	-	-	-	5920 / 3700	144 / 90	-
AP60SC060QWL	TO-247	Single	N	600	20 / 20	-	-	-	-	-	-	60	-	-	-	5408 / 3380	125 / 78	-
AP60SC060ADTL	TOLL_HV	Single	N	600	20 / 20	-	-	-	-	-	-	60	-	-	-	5840 / 3650	149 / 93	-
AP60SC060ADP	TO-220	Single	N	600	20 / 20	-	-	-	-	-	-	60	-	-	-	6016 / 3760	151 / 94	-
AP60SC060ADIT	TO-220CFM-T	Single	N	600	20 / 20	-	-	-	-	-	-	60	-	-	-	5840 / 3650	149 / 93	-
AP60SC045QWL	TO-247	Single	N	600	20 / 20	-	-	-	-	-	-	45	-	-	-	7280 / 4550	164 / 102	-
AP60SA400ADH	TO-252	Single	N	600	20 / 20	-	-	-	-	-	-	400	-	-	-	1264 / 790	35 / 22	-
AP60SA380DIT	TO-220CFM-T	Single	N	600	20 / 20	-	-	-	-	-	-	380	-	-	-	1216 / 760	36 / 22	-
AP60SA380DIN	TO-220CFM-NL	Single	N	600	20 / 20	-	-	-	-	-	-	380	-	-	-	1216 / 760	36 / 22	-
AP60SA380DI	TO-220CFM	Single	N	600	20 / 20	-	-	-	-	-	-	380	-	-	-	1216 / 760	36 / 22	-
AP60SA380DH	TO-252	Single	N	600	20 / 20	-	-	2	-	-	-	380	-	-	-	1216 / 760	36 / 22	-
AP60SA380ADIT	TO-220CFM-T	Single	N	600	20 / 20	-	-	-	-	-	-	388	-	-	-	1264 / 790	35 / 22	-
AP60SA380ADI	TO-220CFM	Single	N	600	20 / 20	-	-	-	-	-	-	388	-	-	-	1264 / 790	35 / 22	-
AP60SA310ADH	TO-252	Single	N	600	20 / 20	-	-	-	-	-	-	318	-	-	-	1640 / 1025	48 / 30	-
AP60SA290DWL	TO-247	Single	N	600	20 / 20	-	-	-	-	-	-	290	-	-	-	1632 / 1020	48 / 30	-
AP60SA290DS	TO-263	Single	N	600	20 / 20	-	-	-	-	-	-	290	-	-	-	1632 / 1020	48 / 30	-
AP60SA290DP	TO-220	Single	N	600	20 / 20	-	-	-	-	-	-	290	-	-	-	1632 / 1020	48 / 30	-
AP60SA290DIT	TO-220CFM-T	Single	N	600	20 / 20	-	-	-	-	-	-	290	-	-	-	1632 / 1020	48 / 30	-
AP60SA290DI	TO-220CFM	Single	N	600	20 / 20	-	-	-	-	-	-	290	-	-	-	1632 / 1020	48 / 30	-
AP60SA290DH	TO-252	Single	N	600	20 / 20	-	-	2	-	-	-	290	-	-	-	1632 / 1020	48 / 30	-
AP60SA290ADIT	TO-220CFM-T	Single	N	600	20 / 20	-	-	-	-	-	-	290	-	-	-	1640 / 1025	48 / 30	-
AP60SA290ADI	TO-220CFM	Single	N	600	20 / 20	-	-	-	-	-	-	290	-	-	-	1640 / 1025	48 / 30	-
AP60SA190DDT8	PDFN 8x8_HV	Single	N	600	20 / 20	-	-	-	-	-	-	190	-	-	-	2448 / 1530	67 / 42	-
AP60SA180DR	TO-262	Single	N	600	20 / 20	-	-	-	-	-	-	180	-	-	-	2448 / 1530	67 / 42	-
AP60SA180DP	TO-220	Single	N	600	20 / 20	-	-	-	-	-	-	180	-	-	-	2448 / 1530	67 / 42	-
AP60SA180DIT	TO-220CFM-T	Single	N	600	20 / 20	-	-	-	-	-	-	180	-	-	-	2448 / 1530	67 / 42	-
AP60SA180DIN	TO-220CFM-NL	Single	N	600	20 / 20	-	-	-	-	-	-	180	-	-	-	2448 / 1530	67 / 42	-
AP60SA125DDT8	PDFN 8x8_HV	Single	N	600	20 / 20	-	-	-	-	-	-	125	-	-	-	3920 / 2450	110 / 69	-
AP60SA115DR	TO-262	Single	N	600	20 / 20	-	-	-	-	-	-	115	-	-	-	3920 / 2450	110 / 69	-
AP60SA115DP	TO-220	Single	N	600	20 / 20	-	-	-	-	-	-	115	-	-	-	3920 / 2450	110 / 69	-
AP60SA115DI	TO-220CFM	Single	N	600	20 / 20	-	-	-	-	-	-	115	-	-	-	3920 / 2450	110 / 69	-
AP60PN72RLEN	SOT-23	Single (with ESD Diode)	N	600	20 / 20	-	-	-	-	-	-	72000	-	-	-	64 / 40	3 / 2	-
AP60PN72REN	SOT-23	Single (with ESD Diode)	N	600	20 / 20	-	-	-	-	-	-	72000	-	-	-	80 / 50	4 / 2	-

AP60MQ360IT	TO-220CFM-T	Single	N	600	20 / 20	-	-	-	-	-	-	360	-	-	-	1200 / 750	37 / 23	-	
AP60MQ280IT	TO-220CFM-T	Single	N	600	20 / 20	-	-	-	-	-	-	280	-	-	-	1536 / 960	45 / 28	-	
AP60MQ190IT	TO-220CFM-T	Single	N	600	20 / 20	-	-	-	-	-	-	190	-	-	-	2320 / 1450	67 / 42	-	
AP60MQ115IT	TO-220CFM-T	Single	N	600	20 / 20	-	-	-	-	-	-	115	-	-	-	4192 / 2620	138 / 86	-	
AP60MA380IT	TO-220CFM-T	Single	N	600	20 / 20	-	-	-	-	-	-	380	-	-	-	2560 / 1600	60 / 38	-	
AP60CM190EH	TO-252	Single	N	600	20 / 20	-	-	-	-	-	-	190	-	-	-	2192 / 1370	53 / 33	-	
AP60CM190EDT8	PDFN 8x8_HV	Single	N	600	20 / 20	-	-	-	21.6	-	-	190	-	-	-	2192 / 1370	53 / 33	-	
AP60CM180EP	TO-220	Single (with ESD Diode)	N	600	20 / 20	-	-	-	-	-	-	180	-	-	-	2192 / 1370	53 / 33	-	
AP60CM180EIT	TO-220CFM-T	Single	N	600	20 / 20	-	-	-	-	-	-	180	-	-	-	2192 / 1370	53 / 33	-	
AP60BM380IT	TO-220CFM-T	Single	N	600	20 / 20	-	-	-	-	-	-	380	-	-	-	1344 / 840	36 / 22	-	
AP60BM380H	TO-252	Single	N	600	20 / 20	-	-	-	-	-	-	380	-	-	-	1344 / 840	36 / 22	-	
AP60BM290IT	TO-220CFM-T	Single	N	600	20 / 20	-	-	-	-	-	-	-	-	-	-	1632 / 1020	40 / 25	-	
AP60BM290H	TO-252	Single	P	600	20 / 20	-	-	-	-	-	-	290	-	-	-	1632 / 1020	40 / 25	-	
AP60BM170DT8	PDFN 8x8_HV	Single	N	600	20 / 20	-	-	-	-	-	-	170	-	-	-	3040 / 1900	72 / 45	-	
AP60BM160R	TO-262	Single	N	600	20 / 20	-	-	-	21	-	-	160	-	-	-	3040 / 1900	72 / 45	-	
AP60BM160P	TO-220	Single	N	600	20 / 20	-	-	-	-	-	-	160	-	-	-	3040 / 1900	72 / 45	-	
AP60BM160IT	TO-220CFM-T	Single	N	600	20 / 20	-	-	-	-	-	-	160	-	-	-	3040 / 1900	72 / 45	-	
AP60BM125DT8	PDFN 8x8_HV	Single	N	600	20 / 20	-	-	-	-	-	-	125	-	-	-	4000 / 2500	93 / 58	-	
AP60BM115WL	TO-247	Single	N	600	20 / 20	-	-	-	-	-	-	115	-	-	-	4000 / 2500	93 / 58	-	
AP60BM115SWL	TO-247	Single	N	600	20 / 20	-	-	-	-	-	-	115	-	-	-	4000 / 2500	93 / 58	-	
AP60BM115R	TO-262	Single	N	600	20 / 20	-	-	-	-	-	-	115	-	-	-	4000 / 2500	93 / 58	-	
AP60BM115IT	TO-220CFM-T	Single	N	600	20 / 20	-	-	-	-	-	-	115	-	-	-	4000 / 2500	93 / 58	-	
AP60BM095WL	TO-247	Single	N	600	20 / 20	-	-	-	-	-	-	95	-	-	-	4928 / 3080	114 / 71	-	
AP60BM095TL	TOLL_HV	Single	N	600	20 / 20	-	-	-	-	-	-	95	-	-	-	4928 / 3080	114 / 71	-	
AP60BM095P	TO-220	Single	N	600	20 / 20	-	-	-	-	-	-	95	-	-	-	4928 / 3080	114 / 71	-	
AP60BM095IT	TO-220CFM-T	Single	N	600	20 / 20	-	-	-	-	-	-	95	-	-	-	4928 / 3080	114 / 71	-	
AP60BM060WL	TO-247	Single	N	600	20 / 20	-	-	-	-	-	-	60	-	-	-	8240 / 5150	176 / 110	-	
AP60BM045WL	TO-247	Single	N	600	20 / 20	-	-	-	-	-	-	45	-	-	-	10240 / 6400	224 / 140	-	
AP60AN750IT	TO-220CFM-T	Single	N	600	30 / 30	-	-	-	-	-	-	750	-	-	-	2688 / 1680	59 / 37	-	
AP60AN750IN	TO-220CFM-NL	Single	N	600	30 / 30	-	-	-	-	-	-	750	-	-	-	2688 / 1680	59 / 37	-	
AP60AN750I	TO-220CFM	Single	N	600	30 / 30	-	-	-	-	-	-	750	-	-	-	2688 / 1680	59 / 37	-	
AP60AN650IT	TO-220CFM-T	Single	N	600	30 / 30	-	-	-	-	-	-	650	-	-	-	3248 / 2030	68 / 43	-	
AP60AN650IN	TO-220CFM-NL	Single	N	600	30 / 30	-	-	-	-	-	-	650	-	-	-	3248 / 2030	68 / 43	-	
AP60AN650I	TO-220CFM	Single	N	600	30 / 30	-	-	-	-	-	-	650	-	-	-	3248 / 2030	68 / 43	-	
AP60AN4K8K	SOT-223	Single	N	600	30 / 30	-	-	-	-	-	-	4800	-	-	-	480 / 300	15 / 9	-	
AP60AN4K8J	TO-251	Single	N	600	30 / 30	-	-	-	-	-	-	4800	-	-	-	480 / 300	15 / 9	-	
AP60AN4K8IT	TO-220CFM-T	Single	N	600	30 / 30	-	-	-	-	-	-	4800	-	-	-	480 / 300	15 / 9	-	
AP60AN4K8H	TO-252	Single	N	600	30 / 30	-	-	-	-	-	-	4800	-	-	-	480 / 300	15 / 9	-	
AP60AN2K3J	TO-251	Single	N	600	30 / 30	-	-	-	-	-	-	2370	-	-	-	928 / 580	23 / 14	-	
AP60AN2K3I	TO-220CFM	Single	N	600	30 / 30	-	-	-	-	-	-	2370	-	-	-	928 / 580	23 / 14	-	
AP60AN2K3H	TO-252	Single	N	600	30 / 30	-	-	-	-	-	-	2370	-	-	-	928 / 580	23 / 14	-	
AP60AN1K5FI	TO-220CFM	Single	N	600	30 / 30	-	-	-	-	-	-	1500	-	-	-	1624 / 1015	35 / 22	-	
AP60AN1K3J	TO-251	Single	N	600	30 / 30	-	-	-	-	-	-	1300	-	-	-	1520 / 950	44 / 28	-	
AP60AN1K3IT	TO-220CFM-T	Single	N	600	30 / 30	-	-	-	-	-	-	1300	-	-	-	1520 / 950	44 / 28	-	
AP60AN1K1P	TO-220	Single	N	600	30 / 30	-	-	-	-	-	-	1100	-	-	-	1984 / 1240	45 / 28	-	
AP60AN1K1IN	TO-220CFM-NL	Single	N	600	30 / 30	-	-	-	-	-	-	1100	-	-	-	1984 / 1240	45 / 28	-	
AP60AN1K1I	TO-220CFM	Single	N	600	30 / 30	-	-	-	-	-	-	1100	-	-	-	1984 / 1240	45 / 28	-	
AP52K2EN1	SOT-723	Single (with ESD Diode)	N	50	8 / 8	-	-	-	-	-	-	-	-	2200	2400	-	55 / 55	1 / 1	-
AP55T10GP	TO-220	Single	N	100	20 / 20	-	-	-	-	-	-	16.5	-	-	-	5280 / 3300	100 / 63	-	
AP55T10GI	TO-220CFM	Single	N	100	20 / 20	-	-	-	-	-	-	16.5	-	-	-	5440 / 3400	112 / 70	-	
AP55T10GH	TO-252	Single	N	100	20 / 20	-	-	-	-	-	-	16.5	-	-	-	5280 / 3300	100 / 63	-	
AP5527DT1	DFN5045-12L	Complementary Common-Drain	2	-100	20 / 20	-	-	-	-3	-	-	145	-	-	-	2912 / 1820	48 / 30	-	
AP5527DT1	DFN5045-12L	Complementary Common-Drain	2	100	20 / 20	-	-	-	4.1	-	-	72	-	-	-	3280 / 2050	51 / 32	-	
AP5525DT1	DFN5045-12L	Complementary Common-Drain	2	-100	20 / 20	-	-	-	-2.2	-	-	250	-	300	-	1728 / 1080	33 / 21	-	
AP5525DT1	DFN5045-12L	Complementary Common-Drain	2	100	20 / 20	-	-	-	2.7	-	-	160	-	200	-	1344 / 840	22 / 14	-	
AP50SL290DH	TO-252	Single	N	500	20 / 20	-	-	-	-	-	-	290	-	-	-	1632 / 1020	46 / 29	-	
AP50AN680I	TO-220CFM	Single	N	500	30 / 30	-	-	-	-	-	-	685	-	-	-	1792 / 1120	46 / 29	-	
AP50AN500P	TO-220	Single	N	500	30 / 30	-	-	-	-	-	-	500	-	-	-	2464 / 1540	64 / 40	-	
AP50AN500IT	TO-220CFM-T	Single	N	500	30 / 30	-	-	-	-	-	-	500	-	-	-	2464 / 1540	64 / 40	-	

AP50AN500IN	TO-220CFM-NL	Single	N	500	30 / 30	-	-	-	-	-	-	500	-	-	-	2464 / 1540	64 / 40	-
AP50AN500I	TO-220CFM	Single	N	500	30 / 30	-	-	-	-	-	-	500	-	-	-	2464 / 1540	64 / 40	-
AP50AN270IN	TO-220CFM-NL	Single	N	500	30 / 30	-	-	-	-	-	-	270	-	-	-	4640 / 2900	115 / 72	-
AP50AN270I	TO-220CFM	Single	N	500	30 / 30	-	-	-	-	-	-	270	-	-	-	4640 / 2900	115 / 72	-
AP50AN1K7FI	TO-220CFM	Single	N	500	30 / 30	-	-	-	-	-	-	1700	-	-	-	720 / 450	19 / 12	-
AP50AN1K5P	TO-220	Single	N	500	30 / 30	-	-	-	-	-	-	1550	-	-	-	800 / 500	24 / 15	-
AP50AN1K5I	TO-220CFM	Single	N	500	30 / 30	-	-	-	-	-	-	1550	-	-	-	800 / 500	24 / 15	-
AP50AN1K5H	TO-252	Single	N	500	30 / 30	-	-	-	-	-	-	1500	-	-	-	800 / 500	24 / 15	-
AP50AN1K0I	TO-220CFM	Single	N	500	30 / 30	-	-	-	-	-	-	1000	-	-	-	1240 / 775	34 / 21	-
AP50AN1K0H	TO-252	Single	N	500	30 / 30	-	-	-	-	-	-	1000	-	-	-	1240 / 775	34 / 21	-
AP4P090N	SOT-23S	Single	P	-40	20 / 20	-	-	-3	-	-	-	90	125	-	-	976 / 610	8 / 5	-
AP4P052AM	SO-8	Single	P	-40	20 / 20	-	-	-5.5	-	-	-	52	90	-	-	1600 / 1000	14 / 9	-
AP4P052AH	TO-252	Single	P	-40	20 / 20	-	-	-	-	-	-	52	90	-	-	1600 / 1000	16 / 10	-
AP4P040M	SO-8	Single	P	-40	20 / 20	-	-	-6.2	-	-	-	40	60	-	-	2144 / 1340	19 / 12	-
AP4P040K	SOT-223	Single	P	-40	20 / 20	-	-	-6.5	-	-	-	40	60	-	-	2160 / 1350	19 / 12	-
AP4P040J	TO-251	Single	P	-40	20 / 20	-	-	-	-	-	-	40	60	-	-	2144 / 1340	19 / 12	-
AP4P040H	TO-252	Single	P	-40	20 / 20	-	-	-	-	-	-	40	60	-	-	2144 / 1340	19 / 12	-
AP4P018M	SO-8	Single	P	-40	20 / 20	-	-	-9.4	-	-	-	18	30	-	-	5760 / 3600	48 / 30	-
AP4P016P	TO-220	Single	P	-40	20 / 20	-	-	-	-	-	-	16	28	-	-	5760 / 3600	51 / 32	-
AP4P016I	TO-220CFM	Single	P	-40	20 / 20	-	-	-	-	-	-	16	28	-	-	5760 / 3600	51 / 32	-
AP4P016H	TO-252	Single	P	-40	20 / 20	-	-	-	-	-	-	16	28	-	-	5760 / 3600	51 / 32	-
AP4NBR76CXT	PMPAK-5x6X	Single	N	40	20 / 20	-	-	62	-	-	-	-	1.4	-	-	10000 / 6250	144 / 90	-
AP4NBR64CDT	PDFN-5x6-FL	Single	N	40	20 / 20	-	-	75.5	-	-	-	-	1.08	-	-	16400 / 10250	276 / 172	-
AP4NB2R6CMT	PMPAK-5x6	Single	N	40	20 / 20	-	-	36	-	-	-	2.6	3.9	-	-	2720 / 1700	48 / 30	-
AP4NAR95CMT-A	PMPAK-5x6	Single	N	45	20 / 20	-	-	58	-	-	-	-	1.6	-	-	8880 / 5550	89 / 56	-
AP4NAR85CMT	PMPAK-5x6	Single	N	40	20 / 20	-	-	61.4	-	-	-	-	1.5	-	-	9120 / 5700	192 / 120	-
AP4NAR72CXT	PMPAK-5x6X	Single	N	40	20 / 20	-	-	72.5	-	-	-	-	1.3	-	-	12080 / 7550	224 / 140	-
AP4NAR56CDT	PDFN-5x6	Single	N	40	20 / 20	-	-	75.5	-	-	-	-	1	-	-	17936 / 11210	354 / 221	-
AP4NA3R8H-AT	TO-252	Single	N	40	20 / 20	-	-	-	-	-	-	3.8	5.4	-	-	7168 / 4480	140 / 88	-
AP4NA3R8H	TO-252	Single	N	40	20 / 20	-	-	-	-	-	-	3.8	5.4	-	-	7040 / 4400	136 / 85	-
AP4NA3R5HCST	SPPAK-5x6	Single	N	40	20 / 20	-	-	27.8	-	-	-	3.8	-	-	-	2736 / 1710	46 / 29	-
AP4NA3R3IT	TO-220CFM-T	Single	N	40	20 / 20	-	-	-	-	-	-	3.3	5	-	-	7040 / 4400	136 / 85	-
AP4NA2R8MT	PMPAK-5x6	Single	N	40	20 / 20	-	-	32	-	-	-	2.8	4.9	-	-	3360 / 2100	60 / 38	-
AP4NA2R6CMT	PMPAK-5x6	Single	N	40	20 / 20	-	-	33.8	-	-	-	2.6	4.6	-	-	3360 / 2100	60 / 38	-
AP4NA2R4P	TO-220	Single	N	40	20 / 20	-	-	-	-	-	-	2.4	4	-	-	7680 / 4800	136 / 85	-
AP4NA2R4IT	TO-220CFM-T	Single	N	40	20 / 20	-	-	-	-	-	-	2.4	4	-	-	8000 / 5000	147 / 92	-
AP4NA2R4H	TO-252	Single	N	40	20 / 20	-	-	-	-	-	-	2.4	4	-	-	7680 / 4800	136 / 85	-
AP4NA2R3CYT	PMPAK-3x3	Single	N	40	20 / 20	-	-	30	-	-	-	2.35	2.79	-	-	4032 / 2520	85 / 53	-
AP4NA2R2HCST	SPPAK-5x6	Single	N	40	20 / 20	-	-	36.5	-	-	-	2.28	-	-	-	4000 / 2500	80 / 50	-
AP4NA1R8MT-A	PMPAK-5x6	Single	N	45	20 / 20	-	-	43	-	-	-	1.8	2.8	-	-	7200 / 4500	75 / 47	-
AP4NA1R6HCMT	PMPAK-5x6	Single	N	40	20 / 20	-	-	44.7	-	-	-	1.6	-	-	-	8320 / 5200	144 / 90	-
AP4NA1R5HCST	SPPAK-5x6	Single	N	40	20 / 20	-	-	45	-	-	-	1.5	-	-	-	7136 / 4460	140 / 88	-
AP4NA1R4CMT-A	PMPAK-5x6	Single	N	45	20 / 20	-	-	49	-	-	-	1.4	2.5	-	-	7200 / 4500	75 / 47	-
AP4N4R6YT	PMPAK-3x3	Single	N	40	20 / 20	-	-	-	-	-	-	4.6	7	-	-	4376 / 2735	93 / 58	-
AP4N4R2MT	PMPAK-5x6	Single	N	40	20 / -12	-	-	25.8	-	-	-	4.2	7.2	-	-	4400 / 2750	41 / 26	-
AP4N4R2H	TO-252	Single	N	40	20 / 20	-	-	-	-	-	-	4.2	7.2	-	-	4000 / 2500	44 / 28	-
AP4N3R6P	TO-220	Single	N	40	20 / -12	-	-	-	-	-	-	3.6	5	-	-	12160 / 7600	192 / 120	-
AP4N3R6H	TO-252	Single	N	40	20 / 20	-	-	-	-	-	-	3.6	5	-	-	9600 / 6000	194 / 121	-
AP4N3R2MT	PMPAK-5x6	Single	N	40	20 / 20	-	-	30.4	-	-	-	3.2	-	-	-	8160 / 5100	142 / 89	-
AP4N3R2I	TO-220CFM	Single	N	40	20 / 20	-	-	-	-	-	-	3.2	-	-	-	8320 / 5200	145 / 91	-
AP4N2R6S	TO-263	Single	N	40	20 / 20	-	-	-	-	-	-	2.6	-	-	-	8160 / 5100	139 / 87	-
AP4N2R6P	TO-220	Single	N	40	20 / 20	-	-	-	-	-	-	2.6	-	-	-	8160 / 5100	139 / 87	-
AP4N2R6MT	PMPAK-5x6	Single	N	40	20 / -12	-	-	33.7	-	-	-	2.6	3.6	-	-	12320 / 7700	86 / 54	-
AP4N2R6J	TO-251	Single	N	40	20 / 20	-	-	-	-	-	-	2.6	-	-	-	8160 / 5100	194 / 87	-
AP4N2R6I-A	TO-220CFM	Single	N	45	20 / 20	-	-	-	-	-	-	2.68	4	-	-	10400 / 6500	203 / 127	-
AP4N2R6H	TO-252	Single	N	40	20 / 20	-	-	-	-	-	-	2.6	-	-	-	8160 / 5100	194 / 87	-
AP4N2R5MT	PMPAK-5x6	Single	N	40	20 / 20	-	-	33.8	-	-	-	2.55	-	-	-	6080 / 3800	112 / 70	-
AP4N2R4CMT	PMPAK-5x6	Single	N	40	20 / -12	-	-	34.7	-	-	-	2.4	4.2	-	-	7152 / 4470	48 / 30	-
AP4N2R1MT	PMPAK-5x6	Single	N	40	20 / 20	-	-	37.5	-	-	-	2.1	-	-	-	9056 / 5660	154 / 96	-

AP4N2R1AMT	PMPAK-5x6	Single	N	40	20 / 20	-	-	37.5	-	-	2.1	-	-	-	8720 / 5450	179 / 112	-
AP4N1R8CMT-A	PMPAK-5x6	Single	N	45	20 / -12	-	-	40	-	-	1.8	2.5	-	-	12000 / 7500	80 / 50	-
AP4N013H	TO-252	Single	N	40	20 / 20	-	-	-	-	-	-	-	-	-	2608 / 1630	25 / 16	-
AP4A025M	SO-8	Dual	N	40	20 / 20	-	-	6.6	-	-	25	40	-	-	1120 / 700	12 / 8	-
AP4A021M	SO-8	Dual	N	40	20 / 20	-	-	9.6	-	-	21	29	-	-	1120 / 700	24 / 15	-
AP4963GEM	SO-8	Dual (with ESD Diode)	P	-30	20 / 20	-	-	-6	-	-	36	65	-	-	800 / 500	14 / 9	-
AP4800GEM	SO-8	Single (with ESD Diode)	N	30	20 / 20	-	-	9.2	-	-	18	30	-	-	1280 / 800	11 / 7	-
AP4626H	TO-252	Single	N	40	20 / 20	-	-	-	-	-	18	25	-	-	1088 / 680	25 / 16	-
AP4579JY	2928-8	Complementary	P	-120	20 / 20	-	-	-1.3	-	-	380	450	-	-	1760 / 1100	33 / 21	-
AP4579JY	2928-8	Complementary	N	120	20 / 20	-	-	1.7	-	-	220	280	-	-	1152 / 720	24 / 15	-
AP4503AGEM	SO-8	Complementary (with ESD Diode)	P	-30	20 / 20	-	-	-5	-	-	52	80	-	-	1330 / 830	11 / 7	-
AP4503AGEM	SO-8	Complementary (with ESD Diode)	N	30	20 / 20	-	-	7	-	-	26	38	-	-	1280 / 800	11 / 7	-
AP4463MT	PMPAK-5x6	Single	P	-30	25 / 25	-	-	-20.8	-	-	8	15	-	-	3872 / 2420	68 / 43	-
AP4461YT	PMPAK-3x3	Single	P	-30	25 / 25	-	-	-17	-	-	7.2	12.8	-	-	5440 / 3400	100 / 63	-
AP4459YT	PMPAK-3x3	Single	P	-30	20 / 20	-	-	-12.7	-	-	13.5	24	-	-	3360 / 2100	64 / 40	-
AP4459M	SO-8	Single	P	-30	20 / 20	-	-	-11.3	-	-	13.5	24	-	-	3360 / 2100	64 / 40	-
AP4459H	TO-252	Single	P	-30	20 / 20	-	-	-	-	-	20	36	-	-	3360 / 2100	62 / 39	-
AP4457JY	2928-8RU	Single	P	-30	20 / 20	-	-	-9	-	-	17	27	-	-	2496 / 1560	44 / 28	-
AP4453GYT	PMPAK-3x3	Single	P	-30	20 / 20	-	-	-12.8	-	-	13	20	-	-	4735 / 2960	38 / 24	-
AP4438GYT	PMPAK-3x3	Single	N	30	20 / 20	-	-	13.7	-	-	12	18	-	-	1760 / 1100	16 / 10	-
AP4417GH	TO-252	Single	P	-35	20 / 20	-	-	-	-	-	75	110	-	-	640 / 400	10 / 6	-
AP4415GH	TO-252	Single	P	-35	25 / 25	-	-	-	-	-	36	60	-	-	1580 / 990	30 / 19	-
AP4409AGEM	SO-8	Single (with ESD Diode)	P	-35	20 / 20	-	-	-14.5	-	-	7.5	-	-	-	6600 / 4100	90 / 58	-
AP4409AGEH	TO-252	single	P	-35	20 / 20	-	-	-	-	-	8	15	-	-	6600 / 4100	88 / 55	-
AP4242YT	PMPAK-3x3	Dual	N	30	20 / 20	-	-	11	-	-	13	21	-	-	1600 / 1000	14 / 9	-
AP4242AYT	PMPAK-3x3	Dual	N	30	20 / 20	-	-	11	-	-	13	22	-	-	1280 / 800	28 / 18	-
AP4242AM	SO-8	Dual	N	30	20 / 20	-	-	8.1	-	-	18	24	-	-	1280 / 800	28 / 18	-
AP4104CYT	PMPAK-3x3	Single	N	30	20 / 20	-	-	33	-	-	2	3.4	-	-	5376 / 3360	103 / 64	-
AP40T03GP	TO-220	Single	N	30	25 / 25	-	-	-	-	-	25	45	-	-	655 / 655	8 / 8	-
AP40T03GH	TO-252	Single	N	30	25 / 25	-	-	-	-	-	25	45	-	-	655 / 655	9 / 9	-
AP4086CXT	PMPAK-5x6X	Single	N	30	20 / 20	-	-	78	-	-	-	-	-	-	13520 / 8450	224 / 140	-
AP4084CMT	PMPAK-5x6	Single	N	30	20 / 20	-	-	33.7	-	-	2.78	4.9	-	-	2272 / 1420	52 / 33	-
AP4072CMT	PMPAK-5x6	Single	N	30	20 / 20	-	-	23.4	-	-	5.5	9.5	-	-	1232 / 770	25 / 16	-
AP4070CMT	PMPAK-5x6	Single	N	30	20 / 20	-	-	31	-	-	3	4.8	-	-	3920 / 2450	78 / 49	-
AP4068MT	PMPAK-5x6	Single	N	30	20 / 20	-	-	100	-	-	1.78	-	-	-	7136 / 4460	141 / 88	-
AP4066CMT	PMPAK-5x6	Single	N	30	20 / 20	-	-	65	-	-	-	1.35	-	-	10000 / 6260	200 / 125	-
AP4064CMT	PMPAK-5x6	Single	N	30	20 / 20	-	-	31.5	-	-	3.1	5.5	-	-	2048 / 1280	40 / 25	-
AP4062CMT	PMPAK-5x6	Single	N	30	20 / 20	-	-	26	-	-	4.5	7.5	-	-	1488 / 930	30 / 19	-
AP4060CMT	PMPAK-5x6	Single	N	30	20 / 20	-	-	37	-	-	2.25	3.75	-	-	3200 / 2000	52 / 33	-
AP4056MT	PMPAK-5x6	Single	N	30	20 / 20	-	-	50.3	-	-	1.28	2.2	-	-	8480 / 5300	144 / 90	-
AP4052CMT	PMPAK-5x6	Single	N	30	20 / 20	-	-	20.8	-	-	7	9.5	-	-	1136 / 710	27 / 17	-
AP4048MT	PMPAK-5x6	Single	N	30	20 / 20	-	-	20	-	-	7.5	11.5	-	-	1280 / 800	30 / 19	-
AP4034GM	SO-8	Single	N	30	20 / 20	-	-	13	-	-	9	14	-	-	2720 / 1700	24 / 15	-
AP4034GH	TO-252	Single	N	30	20 / 20	-	-	-	-	-	9	13.5	-	-	2600 / 1620	26 / 16	-
AP4028GEMT	PMPAK-5x6	Single (with ESD Diode)	N	30	20 / 20	-	-	18.6	-	-	9	20	-	-	2350 / 1470	19 / 12	-
AP4028EYT	PMPAK-3x3	Single (with ESD Diode)	N	30	20 / 20	-	-	14.5	-	-	9	20	-	-	2600 / 1620	20 / 12	-
AP4028EJB	TO-251S	Single (with ESD Diode)	N	30	20 / 20	-	-	-	-	-	9	20	-	-	135 / 135	22 / 14	-
AP4028EH	TO-252	Single (with ESD Diode)	N	30	20 / 20	-	-	-	-	-	9	20	-	-	2370 / 1480	22 / 14	-
AP4024GEMT	PMPAK-5x6	Single (with ESD Diode)	N	30	20 / 20	-	-	26.1	-	-	4.5	8.5	-	-	2400 / 1500	24 / 15	-
AP4024EYT	PMPAK-3x3	Single (with ESD Diode)	N	30	20 / 20	-	-	20.7	-	-	4.5	8.5	-	-	2400 / 1500	24 / 15	-
AP4024EM	SO-8	Single (with ESD Diode)	N	30	20 / 20	-	-	18.5	-	-	4.5	8.5	-	-	2720 / 1700	28 / 17	-
AP4024EH	TO-252	Single (with ESD Diode)	N	30	20 / 20	-	-	-	-	-	6	9	-	-	2400 / 1500	27 / 17	-
AP4002J	TO-251	Single	N	600	30 / 30	-	-	-	-	-	5000	-	-	4	600 / 375	19 / 12	-
AP4002I	TO-220CFM	Single	N	600	30 / 30	-	-	-	-	-	5000	-	-	-	600 / 375	19 / 12	-
AP4002H	TO-252	Single	N	600	30 / 30	-	-	-	-	-	5000	-	-	-	600 / 375	19 / 12	-
AP3R303GMT	PMPAK-5x6	Single	N	30	20 / 20	-	-	31	-	-	3.3	4.5	-	-	2240 / 1400	21 / 13	-
AP3P7ROES	TO-263	Single (with ESD Diode)	P	-30	20 / 20	-	-	-	-	-	7	15	-	-	6880 / 4300	57 / 36	-
AP3P7ROEP	TO-220	Single (with ESD Diode)	P	-30	20 / 20	-	-	-	-	-	7	15	-	-	6880 / 4300	57 / 36	-
AP3P7ROEMT	PMPAK-5x6	Single (with ESD Diode)	P	-30	20 / 20	-	-	-22	-	-	7	15	-	-	6880 / 4300	54 / 34	-

AP3P7R0EM	SO-8	Single (with ESD Diode)	P	-30	25 / 25	-	-	-15.5	-	-	7	11	-	-	6880 / 4300	52 / 33	-
AP3P7R0EJB	TO-251S	Single (with ESD Diode)	P	-30	20 / 20	-	-	-	-	-	7	15	-	-	6880 / 4300	57 / 36	-
AP3P7R0EI	TO-220CFM	Single (with ESD Diode)	P	-30	20 / 20	-	-	-	-	-	7	15	-	-	6880 / 4300	57 / 36	-
AP3P7R0EH	TO-252	Single (with ESD Diode)	P	-30	20 / 20	-	-	-	-	-	7	15	-	-	6880 / 4300	57 / 36	-
AP3P7R0AEMT	PMPAK-5x6	Single (with ESD Diode)	P	-30	25 / 25	-	-	-22	-	-	7	13	-	-	5760 / 3600	98 / 61	-
AP3P3R0MT	PMPAK-5x6	Single	P	-30	20 / 20	-	-	-	-	-	3	4.5	-	-	15040 / 9400	122 / 76	-
AP3P3R0AMT	PMPAK-5x6	Single	P	-30	25 / 25	-	-	-34	-	-	3	4.9	-	-	14560 / 9100	242 / 151	-
AP3P2R5CMT	PMPAK-5x6	Single	P	-30	25 / 25	-	-	-37	-	-	2.5	4	-	-	16000 / 10000	269 / 168	-
AP3P090N	SOT-23S	Single	P	-30	20 / 20	-	-	-3.1	-	-	90	150	-	-	600 / 600	6 / 6	-
AP3P080N	SOT-23S	Single	P	-30	12 / 12	-	-	-3.2	-	-	60	80	150	-	1296 / 810	13 / 8	-
AP3P055Y	SOT-26	Single	P	-30	20 / 20	-	-	-5	-	-	55	90	-	-	960 / 600	19 / 6	-
AP3P055N	SOT-23S	Single	P	-30	20 / 20	-	-	-3.9	-	-	55	85	-	-	960 / 600	10 / 6	-
AP3P052EY	SOT-26	Single (with ESD Diode)	P	-30	20 / 20	-	-	-5.1	-	-	52	95	-	-	880 / 550	19 / 12	-
AP3P052EN	SOT-23S	Single (with ESD Diode)	P	-30	20 / 20	-	-	-4	-	-	52	95	-	-	880 / 550	19 / 12	-
AP3P050BG	SOT-89	Single	P	-30	20 / 20	-	-	-4.1	-	-	50	75	-	-	1056 / 660	24 / 15	-
AP3P050AM	SO-8	Single	P	-30	20 / 20	-	-	-5.8	-	-	50	90	-	-	960 / 600	10 / 6	-
AP3P050AK	SOT-223	Single	P	-30	20 / 20	-	-	-6.1	-	-	50	90	-	-	960 / 600	10 / 6	-
AP3P050AH	TO-252	Single	P	-30	20 / 20	-	-	-	-	-	50	90	-	-	976 / 610	22 / 14	-
AP3P050AG	SOT-89	Single	P	-30	20 / 20	-	-	-4.1	-	-	50	75	-	-	960 / 600	10 / 6	-
AP3P021YT	PMPAK-3x3	Single	P	-30	25 / 25	-	-	-10	-	-	21	42	-	-	1520 / 950	14 / 9	-
AP3P021MT	PMPAK-5x6	Single	P	-30	25 / 25	-	-	-12.6	-	-	21	42	-	-	1328 / 830	26 / 16	-
AP3P021M	SO-8	Single	P	-30	25 / 25	-	-	-9	-	-	21	42	-	-	1520 / 950	14 / 9	-
AP3P021H	TO-252	Single	P	-30	25 / 25	-	-	-	-	-	21	42	-	-	1520 / 950	14 / 9	-
AP3P020M	SO-8	Single	P	-30	20 / 20	-	-	-9.3	-	-	20	36	-	-	2080 / 1300	19 / 12	-
AP3P020J	TO-251	Single	P	-30	20 / 20	-	-	-	-	-	20	40	-	-	2080 / 1300	19 / 12	-
AP3P020H	TO-252	Single	P	-30	20 / 20	-	-	-9.3	-	-	20	36	-	-	2080 / 1300	19 / 12	-
AP3P011YT	PMPAK-3x3	Single	P	-30	25 / 25	-	-	-14	-	-	11	20	-	-	4640 / 2900	38 / 24	-
AP3P010YT	PMPAK-3x3	Single	P	-30	20 / 20	-	-	-14.6	-	-	10	14.5	-	-	6080 / 3800	54 / 34	-
AP3P010M	SO-8	Single	P	-30	20 / 20	-	-	-	-	-	10	17	-	-	6080 / 3800	54 / 34	-
AP3P010I	TO-220CFM	single	P	-30	20 / 20	-	-	-	-	-	10	17	-	-	5840 / 3650	57 / 36	-
AP3P010H	TO-252	Single	P	-30	20 / 20	-	-	-	-	-	10	17	-	-	5840 / 3650	57 / 36	-
AP3P010AMT	PMPAK-5x6	Single	P	-30	20 / 20	-	-	-18.5	-	-	10	15	-	-	6080 / 3800	54 / 34	-
AP3NR85CMT	PMPAK-5x6	Single	N	30	20 / 20	-	-	60	-	-	-	1.15	-	-	11680 / 7300	120 / 75	-
AP3NB4R5CMT	PMPAK-5x6	Single	N	30	20 / 20	-	-	27.5	-	-	4.5	7.5	-	-	1104 / 690	21 / 12	-
AP3NB3R1CMT	PMPAK-5x6	Single	N	30	20 / 20	-	-	33	-	-	3.1	5.5	-	-	1600 / 1000	29 / 18	-
AP3NB1R8CYT	PMPAK-3x3	Single	N	30	20 / 20	-	-	35	-	-	1.8	3.4	-	-	3616 / 2260	58 / 36	-
AP3NAR68CXT	PMPAK-5x6X	Single	N	30	20 / 20	-	-	68	-	-	-	1.1	-	-	11680 / 7300	192 / 120	-
AP3NA7R2YT	PMPAK-3x3	Single	N	30	20 / 20	-	-	17.2	-	-	7.2	12.5	-	-	1600 / 1000	38 / 24	-
AP3NA7R2MT	PMPAK-5x6	Single	N	30	20 / 20	-	-	20.4	-	-	7.2	12.5	-	-	1600 / 1000	38 / 24	-
AP3NA7R2AYT	PMPAK-3x3	Single	N	30	20 / 20	-	-	17	-	-	7.2	13.8	-	-	1280 / 800	28 / 18	-
AP3NA7R2AMT	PMPAK-5x6	Single	N	30	20 / 20	-	-	20	-	-	7.2	13.8	-	-	1280 / 800	28 / 18	-
AP3NA6R5YT	PMPAK-3x3	Single	N	30	20 / 20	-	-	19.5	-	-	6.5	11	-	-	1200 / 750	26 / 16	-
AP3NA5R5EYT	PMPAK-3x3	Single (with ESD Diode)	N	30	20 / 20	-	-	19	-	-	5.5	9.2	-	-	1376 / 860	29 / 18	-
AP3NA5R5CMT	PMPAK-5x6	Single	N	30	20 / 20	-	-	23.4	-	-	5.5	9.5	-	-	1232 / 770	25 / 16	-
AP3NA4R2YT	PMPAK-3x3	Single	N	30	20 / 20	-	-	21.5	-	-	4.2	7.8	-	-	3360 / 2100	36 / 23	-
AP3NA4R2AYT	PMPAK-3x3	Single	N	30	20 / 20	-	-	20.9	-	-	4.2	7.8	-	-	2576 / 1610	60 / 38	-
AP3NA3R4MT	PMPAK-5x6	Single	N	30	20 / 20	-	-	29.2	-	-	3.4	6.5	-	-	3360 / 2100	36 / 23	-
AP3NA3R4AMT	PMPAK-5x6	Single	N	30	20 / 20	-	-	29	-	-	3.4	6.5	-	-	2576 / 1610	60 / 38	-
AP3NA2R8CMT	PMPAK-5x6	Single	N	30	20 / 20	-	-	33.7	-	-	2.8	5.1	-	-	2272 / 1420	52 / 33	-
AP3NA2R7CMT	PMPAK-5x6	Single	N	30	20 / 20	-	-	36	-	-	2.7	4.5	-	-	2640 / 1650	-	-
AP3NA2R4MT	PMPAK-5x6	Single	N	30	20 / 20	-	-	36.5	-	-	2.4	3.6	-	-	5600 / 3500	65 / 41	-
AP3NA2R2CMT	PMPAK-5x6	Single	N	30	20 / 20	-	-	37	-	-	2.25	3.75	-	-	3200 / 2000	52 / 33	-
AP3NA1R3MT	PMPAK-5x6	Single	N	30	20 / 20	-	-	50.3	-	-	1.3	2.2	-	-	8480 / 5300	144 / 90	-
AP3N9R5YT	PMPAK-3x3	Single	N	30	20 / 20	-	-	15	-	-	9.5	14.5	-	-	1600 / 1000	38 / 24	-
AP3N9R5MT	PMPAK-5x6	Single	N	30	20 / 20	-	-	17.7	-	-	9.5	13.5	-	-	1600 / 1000	38 / 24	-
AP3N9R5H	TO-252	single	N	30	20 / 20	-	-	-	-	-	9.5	17	-	-	1600 / 1000	17 / 11	-
AP3N9R5BMT	PMPAK-5x6	Single	N	30	20 / 20	-	-	18.4	-	-	9.5	13.5	-	-	1152 / 720	24 / 15	-
AP3N9R5AYT	PMPAK-3x3	Single	N	30	20 / 20	-	-	15	-	-	9.5	17	-	-	1280 / 800	28 / 18	-
AP3N9R5AMT	PMPAK-5x6	Single	N	30	20 / 20	-	-	18	-	-	9.5	17	-	-	1280 / 800	28 / 18	-

AP3N9R5AM	SO-8	Single	N	30	20 / 20	-	-	12.5	-	-	9.5	17	-	-	1280 / 800	28 / 18	-
AP3N9R5AH	TO-252	Single	N	30	20 / 20	-	-	-	-	-	9.5	17.5	-	-	1280 / 800	14 / 9	-
AP3N6R2MT	PMPAK-5x6	Single	N	30	20 / -12	-	-	22	-	-	6.2	11.5	-	-	2880 / 1800	17 / 11	-
AP3N5R0YT	PMPAK-3x3	Single	N	30	20 / 20	-	-	19.5	-	-	5	8	-	-	3040 / 1900	35 / 22	-
AP3N5R0MT	PMPAK-5x6	Single	N	30	20 / 20	-	-	24.7	-	-	5	8	-	-	3040 / 1900	35 / 22	-
AP3N5R0M	SO-8	Single	N	30	20 / 20	-	-	17.4	-	-	5	8	-	-	3040 / 1900	33 / 21	-
AP3N5R0JV	TO-251VS	Single	N	30	20 / 20	-	-	-	-	-	5	8.5	-	-	3200 / 2000	36 / 23	-
AP3N5R0H	TO-252	Single	N	30	20 / 20	-	-	-	-	-	5	8.5	-	-	3200 / 2000	36 / 23	-
AP3N5R0BMT	PMPAK-5x6	Single	N	30	20 / 20	-	-	25	-	-	5	7	-	-	2656 / 1660	53 / 33	-
AP3N5R0AYT	PMPAK-3x3	Single	N	30	20 / 20	-	-	20	-	-	5	9	-	-	2800 / 1750	64 / 40	-
AP3N5R0AMT	PMPAK-5x6	Single	N	30	20 / 20	-	-	25	-	-	5	9	-	-	2800 / 1750	64 / 40	-
AP3N5R0AH	TO-252	Single	N	30	20 / 20	-	-	-	-	-	5	9.5	-	-	2800 / 1750	64 / 40	-
AP3N4R0S	TO-263	Single	N	30	20 / 20	-	-	-	-	-	4	6	-	-	4080 / 2550	44 / 28	-
AP3N4R0P	TO-220	Single	N	30	20 / 20	-	-	-	-	-	4	6	-	-	4080 / 2550	44 / 28	-
AP3N4R0J	TO-251	Single	N	30	20 / 20	-	-	-	-	-	4	6	-	-	4080 / 2550	44 / 28	-
AP3N4R0H	TO-252	Single	N	30	20 / 20	-	-	-	-	-	4	6	-	-	4080 / 2550	44 / 28	-
AP3N3R0CMT	PMPAK-5x6	Single	N	30	20 / 20	-	-	31	-	-	3	4.8	-	-	3920 / 2450	78 / 49	-
AP3N2R8AMT	PMPAK-5x6	Single	N	30	20 / 20	-	-	32.8	-	-	2.8	4.2	-	-	4080 / 2550	40 / 25	-
AP3N2R1P	TO-220	Single	N	30	20 / 20	-	-	-	-	-	2.1	3.3	-	-	10000 / 6250	113 / 71	-
AP3N2R1H	TO-252	Single	N	30	20 / 20	-	-	-	-	-	2.1	3.3	-	-	10000 / 6250	113 / 71	-
AP3N2R1CMT	PMPAK-5x6	Single	N	30	20 / -12	-	-	40	-	-	2.1	3.6	-	-	6400 / 4000	54 / 34	-
AP3N2R0CYT	PMPAK-3x3	Single	N	30	20 / 20	-	-	33	-	-	2	3.4	-	-	5376 / 3360	103 / 64	-
AP3N1R8BMT	PMPAK-5x6	Single	N	30	20 / 20	-	-	43.8	-	-	1.8	2.8	-	-	7136 / 4460	-	-
AP3N1R8AMT	PMPAK-5x6	Single	N	30	20 / 20	-	-	41.9	-	-	1.8	3.2	-	-	8960 / 5600	208 / 130	-
AP3N1R7CMT	PMPAK-5x6	Single	N	30	20 / -12	-	-	43.3	-	-	1.7	3.7	-	-	6720 / 4200	54 / 34	-
AP3N1R6MT	PMPAK-5x6	Single	N	30	20 / 20	-	-	43.1	-	-	1.6	2.6	-	-	9200 / 5750	91 / 57	-
AP3N1R0MT	PMPAK-5x6	Single	N	30	20 / 20	-	-	54.2	-	-	1.05	1.4	-	-	12320 / 7700	120 / 75	-
AP3N1K2EN1	SOT-723	Single (with ESD Diode)	N	30	12 / 12	-	-	-	-	-	-	1000	1200	1400	40 / 40	-	-
AP3N045LEN	SOT-23S	Single (with ESD Diode)	N	30	12 / 12	-	-	4.1	-	-	-	45	60	-	1376 / 860	17 / 11	-
AP3N045EN	SOT-23S	Single (with ESD Diode)	N	30	20 / 20	-	-	4.3	-	-	45	60	-	-	1330 / 830	11 / 7	-
AP3N035N	SOT-23S	Single	N	30	8 / 8	-	-	4.5	-	-	-	35	50	80	1330 / 800	14 / 9	-
AP3N028EY	SOT-26	Single	N	30	20 / 20	-	-	7	-	-	28	42	-	3	1330 / 830	11 / 7	-
AP3N028EN	SOT-23S	Single (with ESD Diode)	N	30	20 / 20	-	-	5.4	-	-	28	42	-	-	1330 / 830	11 / 7	-
AP3N020YT	PMPAK-3x3	Single	N	30	20 / 20	-	-	10	-	-	20	32	-	-	880 / 550	8 / 5	-
AP3N020P	TO-220	Single	N	30	20 / 20	-	-	-	-	-	20	30	-	-	830 / 520	8 / 5	-
AP3N018YT	PMPAK-3x3	Single	N	30	20 / 20	-	-	10	-	-	18	32	-	-	800 / 500	20 / 12	-
AP3DB2R2CMT	PMPAK-5x6	Dual(CH1)	N	30	20 / 20	-	-	15.7	-	-	5	8.2	-	-	1312 / 820	23 / 14	-
AP3DB2R2CMT	PMPAK-5x6	Dual(CH2)	N	30	12 / 12	-	-	25	-	-	2.2	3.1	-	-	4160 / 2600	76 / 47	-
AP3DB1R9CDT	PDFN-5x6	Dual(CH1)	N	30	20 / 20	-	-	16	-	-	5	8	-	-	1600 / 1000	29 / 18	-
AP3DB1R9CDT	PDFN-5x6	Dual(CH2)	N	30	20 / 20	-	-	27	-	-	1.9	3.1	-	-	3440 / 2150	56 / 35	-
AP3DA2R5MT	PMPAK-5x6	Dual(CH1)	N	30	20 / 20	-	-	14.2	-	-	5.5	8.8	-	-	1712 / 1070	30 / 19	-
AP3DA2R5MT	PMPAK-5x6	Dual(CH2)	N	30	16 / 16	-	-	23.3	-	-	2.5	3.6	-	-	4904 / 3065	86 / 54	-
AP3D5R0MT	PMPAK-5x6	Dual(CH2)	N	30	20 / 20	-	-	22.7	-	-	5	8	-	-	2288 / 1430	32 / 20	-
AP3D5R0MT	PMPAK-5x6	Dual(CH1)	N	30	20 / 20	-	-	13.2	-	-	11.5	21.5	-	-	1760 / 1100	16 / 10	-
AP3CA035EJY	2928-8RU	Complementary (with ESD Diode)	P	-30	20 / 20	-	-	-3.4	-	-	80	145	-	-	720 / 450	6 / 4	-
AP3CA035EJY	2928-8RU	Complementary (with ESD Diode)	N	30	20 / 20	-	-	4.9	-	-	35	56	-	-	480 / 300	6 / 4	-
AP3CA010MT	PMPAK-5x6	Complementary	P	-30	20 / 20	-	-	-11	-	-	19	32	-	-	2688 / 1680	48 / 30	-
AP3CA010MT	PMPAK-5x6	Complementary	N	30	20 / 20	-	-	15	-	-	9.6	14.5	-	-	1600 / 1000	32 / 20	-
AP3C023AMT	PMPAK-5x6	Complementary	P	-30	20 / 20	-	-	-10	-	-	23.5	31	-	-	2480 / 1550	21 / 13	-
AP3C023AMT	PMPAK-5x6	Complementary	N	30	20 / 20	-	-	12	-	-	10.4	15.3	-	-	2320 / 1450	19 / 12	-
AP3C020AM	SO-8	Complementary	N	30	20 / 20	-	-	8	-	-	20	35	-	-	800 / 500	20 / 12	-
AP3C020AM	SO-8	Complementary	P	-30	20 / 20	-	-	-5.5	-	-	45	85	-	-	1136 / 710	24 / 15	-
AP3C017AYT	PMPAK-3x3	Complementary	P	-30	20 / 20	-	-	-7.5	-	-	30	57	-	-	1600 / 1000	14 / 9	-
AP3C017AYT	PMPAK-3x3	Complementary	N	30	20 / 20	-	-	9.3	-	-	17.8	27	-	-	1920 / 1200	16 / 10	-
AP3C017AY	2928-8	Complementary	P	-30	20 / 20	-	-	-5.5	-	-	30	57	-	-	1600 / 1000	14 / 9	-
AP3C017AY	2928-8	Complementary	N	30	20 / 20	-	-	7	-	-	17.8	27	-	-	1920 / 1200	16 / 10	-
AP3C011M	SO-8	Complementary	P	-30	20 / 20	-	-	-7.8	-	-	22	39	-	-	2080 / 1300	20 / 13	-
AP3C011M	SO-8	Complementary	N	30	20 / 20	-	-	10.8	-	-	10	16	-	-	1440 / 900	16 / 10	-
AP3C011H	TO-252-4L	Complementary	P	-30	20 / 20	-	-	-	-	-	22	39	-	-	2080 / 1300	20 / 13	-

AP3C011H	TO-252-4L	Complementary	N	30	20 / 20	-	-	-	-	-	10	16	-	-	1440 / 900	16 / 10	-
AP3C010BMT	PMPAK-5x6	Complementary	N	30	20 / 20	-	-	15	-	-	10.4	15.3	-	-	2016 / 1260	48 / 30	-
AP3C010BMT	PMPAK-5x6	Complementary	P	-30	20 / 20	-	-	-10	-	-	23.5	31	-	-	2880 / 1800	61 / 38	-
AP3B020M	SO-8	Dual	P	-30	20 / 20	-	-	-8.3	-	-	20	36	-	-	2080 / 1300	19 / 12	-
AP3A035EM	SO-8	Dual (with ESD Diode)	N	30	20 / 20	-	-	5.8	-	-	35	50	-	-	480 / 300	6 / 4	-
AP3A022M	SO-8	Dual	N	30	20 / 20	-	-	7.5	-	-	22	42	-	-	672 / 420	10 / 6	-
AP3A020YT	PMPAK-3x3	Dual	N	30	20 / 20	-	-	8.7	-	-	20	35	-	-	880 / 550	8 / 5	-
AP3A020Y	2928-8	Dual	N	30	20 / 20	-	-	6.5	-	-	20	35	-	-	880 / 550	8 / 5	-
AP3A020M	SO-8	Dual	N	30	20 / 20	-	-	7.8	-	-	20	35	-	-	880 / 550	8 / 5	-
AP3A020DT3	PMPAK-3x3	Dual(CH1)	N	30	20 / 20	-	-	7.7	-	-	20	35	-	-	864 / 540	16 / 10	-
AP3A020DT3	PMPAK-3x3	Dual(CH2)	N	30	20 / 20	-	-	8.3	-	-	20	35	-	-	864 / 540	16 / 10	-
AP3A020AM	SO-8	Dual	N	30	20 / 20	-	-	7.9	-	-	20	35	-	-	816 / 510	20 / 12	-
AP3A010MT	PMPAK-5x6	Dual	N	30	20 / 20	-	-	14.6	-	-	10.5	17	-	-	2928 / 1830	25 / 16	-
AP3A010BMT	PMPAK-5x6	Dual	N	30	20 / 20	-	-	12	-	-	10.4	15.3	-	-	2048 / 1280	50 / 31	-
AP3A010AMT	PMPAK-5x6	Dual	N	30	20 / 20	-	-	12	-	-	10.4	15.3	-	-	2448 / 1530	22 / 14	-
AP3A010AM	SO-8	Dual	N	30	20 / 20	-	-	10.8	-	-	10.4	15.3	-	-	2448 / 1530	22 / 14	-
AP3840CDT33	PDFN3.3x3.3B-DLR	Dual(CH1)	N	30	12 / 12	-	-	25	-	-	3.7	4.7	-	-	2340 / 1800	49 / 38	-
AP3840CDT33	PDFN3.3x3.3B-DLR	Dual(CH2)	N	30	12 / 12	-	-	20.7	-	-	4.7	5.9	-	-	2080 / 1600	44 / 34	-
AP3838CDT33	PDFN3.3x3.3B-DLR	Dual(CH1)	N	30	12 / 12	-	-	23.5	-	-	4.2	5.9	-	-	1500 / 1150	32 / 25	-
AP3838CDT33	PDFN3.3x3.3B-DLR	Dual(CH2)	N	30	12 / 12	-	-	19.5	-	-	5.2	7.2	-	-	1300 / 1000	28 / 22	-
AP3832CMT	PMPAK-5x6	Dual(CH2)	N	30	20 / 20	-	-	27	-	-	1.9	3.1	-	-	3920 / 2450	64 / 40	-
AP3832CMT	PMPAK-5x6	Dual(CH1)	N	30	20 / 20	-	-	16	-	-	5	8	-	-	1712 / 1070	30 / 19	-
AP3832CDT	PDFN-5x6	Dual(CH1)	N	30	20 / 20	-	-	16	-	-	5	8	-	-	1712 / 1070	30 / 19	-
AP3832CDT	PDFN-5x6	Dual(CH2)	N	30	20 / 20	-	-	27	-	-	1.9	3.1	-	-	3920 / 2450	64 / 40	-
AP3802YT	PMPAK-3x3	Dual(CH1)	N	30	20 / 20	-	-	7.7	-	-	20	35	-	-	864 / 540	16 / 10	-
AP3802YT	PMPAK-3x3	Dual(CH2)	N	30	20 / 20	-	-	8.3	-	-	20	35	-	-	864 / 540	16 / 10	-
AP38028EM	SO-8	Dual (with ESD Diode)	N	30	20 / 20	-	-	6.6	-	-	28	42	-	-	1330 / 830	11 / 7	-
AP3800YT	PMPAK-3x3	Dual(CH2)	N	30	20 / 20	-	-	12.7	-	-	8.5	12.9	-	-	1456 / 910	15 / 9	-
AP3800YT	PMPAK-3x3	Dual(CH1)	N	30	20 / 20	-	-	10.3	-	-	10.8	16	-	-	1184 / 740	12 / 7	-
AP3702YT	PMPAK-3x3	Complementary	P	-30	20 / 20	-	-	-6	-	-	48	85	-	-	976 / 610	9 / 6	-
AP3702YT	PMPAK-3x3	Complementary (with ESD Diode)	N	30	20 / 20	-	-	6.6	-	-	35	56	-	-	480 / 300	6 / 4	-
AP3700YT	PMPAK-3x3	Complementary	P	-30	20 / 20	-	-	-6.1	-	-	45	85	-	-	976 / 610	9 / 6	-
AP3700YT	PMPAK-3x3	Complementary	N	30	20 / 20	-	-	8.7	-	-	20	35	-	-	880 / 550	8 / 5	-
AP3700Y	2928-8	Complementary	P	-30	20 / 20	-	-	-4.6	-	-	45	85	-	-	980 / 610	9 / 6	-
AP3700Y	2928-8	Complementary	N	30	20 / 20	-	-	6.5	-	-	20	35	-	-	840 / 525	8 / 5	-
AP3700MT	PMPAK-5x6	Complementary	P	-30	20 / 20	-	-	-7.3	-	-	45	85	-	-	960 / 600	9 / 6	-
AP3700MT	PMPAK-5x6	Complementary	N	30	20 / 20	-	-	11	-	-	18	-	-	-	900 / 560	8 / 5	-
AP3700M	SO-8	Complementary	P	-30	20 / 20	-	-	-5.5	-	-	45	85	-	-	980 / 610	9 / 5	-
AP3700M	SO-8	Complementary	N	30	20 / 20	-	-	7.8	-	-	20	35	-	-	880 / 550	8 / 5	-
AP3310GH	TO-252	Single	P	-20	12 / 12	-	-	-	-	-	-	150	250	-	300 / 300	6 / 6	-
AP30P10GS	TO-263	Single	P	-100	20 / 20	-	-	-	-	-	80	100	-	-	4130 / 2580	80 / 50	-
AP30P10GH	TO-252	Single	P	-100	20 / 20	-	-	-	-	-	80	100	-	-	4130 / 2580	80 / 50	-
AP2P9R0LYT	PMPAK-3x3	Single	P	-20	12 / 12	-	-	-15.4	-	-	8	9	12	-	9920 / 6200	96 / 60	-
AP2P130EN	SOT-23S	Single (with ESD Diode)	P	-20	12 / 12	-	-	-2.3	-	-	-	130	190	-	552 / 345	6 / 4	-
AP2P053Y	SOT-26	Single	P	-20	12 / 12	-	-	-5	-	-	53	65	120	-	1600 / 1000	16 / 10	-
AP2P053N	SOT-23S	Single	P	-20	12 / 12	-	-	-4.2	-	-	53	65	100	-	1600 / 1000	16 / 10	-
AP2P052Y	SOT-26	Single	P	-20	8 / 8	-	-	-5.1	-	-	-	52	65	90	1440 / 900	14 / 9	-
AP2P052N	SOT-23S	Single	P	-20	8 / 8	-	-	-4	-	-	-	52	65	90	1440 / 900	14 / 9	-
AP2P038Y	SOT-26	Single	P	-20	8 / 8	-	-	-6	-	-	-	38	50	64	2320 / 1450	23 / 14	-
AP2P038N	SOT-23	Single	P	-20	8 / 8	-	-	-5	-	-	-	38	50	64	2320 / 1450	23 / 14	-
AP2P028EN2	DFN-2x2	Single (with ESD Diode)	P	-20	8 / 8	-	-	-7.5	-	-	-	28	41	50	2600 / 1620	28 / 18	-
AP2P028EN	SOT-23	Single	P	-20	8 / 8	-	-	-4.5	-	-	-	28	41	50	2600 / 1620	28 / 18	-
AP2P020YT	PMPAK-3x3	Single	P	-20	8 / 8	-	-	-10.2	-	-	-	20	26	35	3600 / 2250	40 / 25	-
AP2N2R0CYT	PMPAK-3x3	Single	N	20	12 / 12	-	-	31.3	-	-	-	2	3.5	-	7840 / 4900	91 / 57	-
AP2N1K2EN1	SOT-723	Single (with ESD Diode)	N	20	8 / 8	-	-	-	-	-	-	-	1200	1400	44 / 44	-	-
AP2N075EN	SOT-23S	Single (with ESD Diode)	N	20	12 / 12	-	-	3.5	-	-	-	75	125	-	832 / 520	10 / 6	-
AP2N050H	TO-252	Single	N	20	12 / 12	-	-	-	-	-	-	50	80	-	1280 / 800	19 / 12	-
AP2N050G	SOT-89	Single	N	20	12 / 12	-	-	4	-	-	38	50	80	-	1280 / 800	18 / 11	-
AP2N030EN	SOT-23S	Single (with ESD Diode)	N	20	12 / 12	-	-	5.3	-	-	30	35	50	-	832 / 520	10 / 6	-

AP2N025LN	SOT-23S	Single	N	20	12 / 12	-	-	5.7	-	-	-	25	39	-	1280 / 800	16 / 10	-
AP2906EY	SOT-26	Dual Common-Drain (with ESD Diode)	N	20	8 / 8	-	-	4.7	-	-	-	-	40	-	900 / 560	13 / 8	-
AP2904EC4	WLCSF	Dual	N	24	12 / 12	-	-	-	-	-	38	-	49	-	-	13 / 13	-
AP2900EC4	WLCSF	Dual	N	24	12 / 12	-	-	-	-	-	-	22.5	30	-	-	18 / 18	-
AP2625GY	SOT-26	Dual	P	-30	12 / 12	-	-	-2	-	-	-	185	265	-	425 / 265	6 / 4	-
AP25N10GH	TO-252	Single	N	100	20 / 20	-	-	-	-	-	80	-	-	-	1700 / 1060	30 / 19	-
AP2535GEY	SOT-26	Complementary (with ESD Diode)	P	-20	8 / 8	-	-	-3.1	-	-	-	80	100	160	1024 / 640	12 / 8	-
AP2535GEEY	SOT-26	Complementary (with ESD Diode)	N	20	8 / 8	-	-	4.6	-	-	-	32	40	50	960 / 600	14 / 9	-
AP2344GN	SOT-23	Single	N	20	8 / 8	-	-	6.4	-	-	-	22	32	40	2430 / 1520	35 / 22	-
AP2335YT	PMPAK-3x3	Single	P	-20	12 / 12	-	-	-7.3	-	-	-	42	65	85	1600 / 1000	19 / 12	-
AP2304GN	SOT-23	Single	N	25	20 / 20	-	-	2.7	-	-	117	190	-	-	110 / 110	10 / 5	-
AP2304AGN	SOT-23	Single	N	30	20 / 20	-	-	2.5	-	-	117	190	-	-	190 / 120	5 / 3	-
AP2303GN	SOT-23	Single	P	-30	20 / 20	-	-	-1.9	-	-	240	460	-	-	230 / 230	6 / 6	-
AP2302GN	SOT-23	Single	N	20	12 / 12	-	-	3.2	-	N	-	85	115	-	145 / 145	4 / 4	-
AP20T15GM	SO-8	Single	N	150	20 / 20	-	-	4	-	-	70	120	-	-	3080 / 1930	42 / 26	-
AP20NA010DS	TO-263	Single	N	200	20 / 20	-	-	-	-	-	10.9	-	-	-	8000 / 5000	136 / 85	-
AP20NA010DR	TO-262	Single	N	200	20 / 20	-	-	-	-	-	10.9	-	-	-	8000 / 5000	136 / 85	-
AP20NA010DP	TO-220	Single	N	200	20 / 20	-	-	-	-	-	10.9	-	-	-	8000 / 5000	136 / 85	-
AP20N15GI	TO-220CFM	Single	N	150	20 / 20	-	-	-	-	-	100	-	-	-	1700 / 1070	35 / 22	-
AP20N15GH	TO-252	Single	N	150	20 / 20	-	-	-	-	-	100	-	-	-	1700 / 1070	35 / 22	-
AP20N15AGH	TO-252	Single	N	150	20 / 20	-	-	-	-	-	100	110	-	-	2560 / 1600	28 / 17	-
AP20AN160P	TO-220	Single	N	200	20 / 20	-	-	-	-	-	160	-	-	-	1488 / 930	43 / 27	-
AP20AN160J	TO-251	Single	N	200	20 / 20	-	-	-	-	-	160	-	-	-	1488 / 930	43 / 27	-
AP20AN160I	TO-220CFM	Single	N	200	20 / 20	-	-	-	-	-	160	-	-	-	1488 / 930	43 / 27	-
AP20AN160H	TO-252	Single	N	200	20 / 20	-	-	-	-	-	160	-	-	-	1488 / 930	43 / 27	-
AP18P10AGH	TO-252	Single	P	-100	30 / 30	-	-	-	-	-	140	-	-	-	2200 / 1380	55 / 35	-
AP16N50W	TO-3P	Single	N	500	30 / 30	-	-	-	-	-	400	-	-	-	3120 / 1950	53 / 33	-
AP16N50P	TO-220	Single	N	500	30 / 30	-	-	-	-	-	400	-	-	-	3120 / 1950	53 / 33	-
AP15T15GM	SO-8	Single	N	150	20 / 20	-	-	2.6	-	-	150	250	-	-	1680 / 1050	36 / 22	-
AP15P15GM	SO-8	Single	P	-140	20 / 20	-	-	-2.7	-	-	180	-	-	-	4560 / 2850	80 / 51	-
AP15P15GH	TO-252	Single	P	-140	20 / 20	-	-	-	-	-	180	-	-	-	4560 / 2850	90 / 55	-
AP15P10GH	TO-252	Single	P	-100	20 / 20	-	-	-	-	-	230	-	-	-	1900 / 1180	60 / 37	-
AP15NA9R3CXT	PMPAK-5x6X	Single	N	150	20 / 20	-	-	16.1	-	-	9.3	-	-	-	5280 / 3300	109 / 68	-
AP15NA7R5P	TO-220	Single	N	150	20 / 20	-	-	-	-	-	7.5	-	-	-	8192 / 5120	168 / 105	-
AP15NA7R5I	TO-220CFM	Single	N	150	20 / 20	-	-	-	-	-	7.5	-	-	-	8192 / 5120	170 / 106	-
AP15NA7R4CDT	PDFN5x6-FL	Single	N	150	20 / 20	-	-	100	-	-	7.4	-	-	-	7120 / 4450	146 / 91	-
AP15NA4R4TL	TOLL	Single	N	150	20 / 20	-	-	-	-	-	4.4	-	-	-	11936 / 7460	254 / 159	-
AP15NA3R9TL	TOLL	Single	N	150	20 / 20	-	-	-	-	-	3.9	-	-	-	15840 / 9900	320 / 200	-
AP15NA060LM	SO-8	Single	N	150	20 / 20	-	-	4.4	-	-	60	120	-	-	888 / 555	25 / 16	-
AP15NA052MT	PMPAK-5x6	Single	N	150	20 / 20	-	-	6.5	-	-	52	-	-	-	2688 / 1680	49 / 31	-
AP15NA052H	TO-252	Single	N	150	20 / 20	-	-	-	-	-	52	-	-	-	2512 / 1570	49 / 31	-
AP15NA027MT	PMPAK-5x6	Single	N	150	20 / 20	-	-	9.4	-	-	27	-	-	-	2128 / 1330	48 / 30	-
AP15NA027IT	TO-220CFM-T	Single	N	150	20 / 20	-	-	-	-	-	27	-	-	-	2128 / 1330	50 / 31	-
AP15NA027H	TO-252	Single	N	150	20 / 20	-	-	-	-	-	27	-	-	-	2128 / 1330	48 / 30	-
AP15NA019P	TO-220	Single	N	150	20 / 20	-	-	-	-	-	19	-	-	-	3040 / 1900	68 / 42	-
AP15NA019MT	PMPAK-5x6	Single	N	150	20 / 20	-	-	11	-	-	19	-	-	-	3040 / 1900	65 / 41	-
AP15NA019IT	TO-220CFM-T	Single	N	150	20 / 20	-	-	-	-	-	19	-	-	-	3040 / 1900	65 / 41	-
AP15NA011IT	TO-220CFM-T	Single	N	150	20 / 20	-	-	-	-	-	11	-	-	-	5280 / 3300	107 / 67	-
AP1504YT	PMPAK-3x3	Single	N	150	20 / 20	-	-	5	-	-	59	-	-	-	984 / 615	25 / 16	-
AP1504MT	PMPAK-5x6	Single	N	150	20 / 20	-	-	6.3	-	-	59	-	-	-	984 / 615	25 / 16	-
AP1504M	SO-8	Single	N	150	20 / 20	-	-	4.5	-	-	59	-	-	-	960 / 600	25 / 16	-
AP1504LM	SO-8	Single	N	150	20 / 20	-	-	4.4	-	-	60	120	-	-	888 / 555	25 / 16	-
AP1502ACMT	PMPAK-5x6	Single	N	150	20 / 20	-	-	11.2	-	-	16.5	-	-	-	6800 / 4250	126 / 79	-
AP14SL50I	TO-220CFM	Single	N	500	20 / 20	-	-	-	-	-	280	-	-	-	1456 / 910	41 / 26	-
AP1334GEU	SOT-323	Single	N	20	8 / 8	-	-	2.1	-	-	-	65	75	85	912 / 570	14 / 9	-
AP12NB7R6P	TO-220	Single	N	120	20 / 20	-	-	-	-	-	7.6	-	-	-	4080 / 2550	108 / 68	-
AP12NB7R0CMT	PMPAK-5x6	Single	N	120	20 / 20	-	-	19.4	-	-	7	-	-	-	4080 / 2550	107 / 67	-
AP12NB4R4CMT	PMPAK-5x6	Single	N	120	20 / 20	-	-	24.6	-	-	4.4	-	-	-	5920 / 3700	153 / 96	-
AP12NB3R0TL	TOLL	Single	N	120	20 / 20	-	-	-	-	-	3	-	-	-	9656 / 6035	240 / 150	-

AP12NA012J	TO-251	Single	N	120	20 / 20	-	-	-	-	-	12	-	-	-	4016 / 2510	72 / 45	-
AP12NA012H	TO-252	Single	N	120	20 / 20	-	-	-	-	-	12	-	-	-	4016 / 2510	72 / 45	-
AP12C220JY	2928-8	Complementary	N	120	20 / 20	-	-	1.7	-	-	220	280	-	-	1152 / 720	24 / 15	-
AP12C220JY	2928-8	Complementary	P	-120	20 / 20	-	-	-1.3	-	-	380	450	-	-	1760 / 1100	33 / 21	-
AP11N50I	TO-220CFM	Single	N	500	30 / 30	-	-	-	-	-	680	-	-	-	2600 / 1680	69 / 43	-
AP10TN5R5MT	PMPAK-5x6	Single	N	100	20 / 20	-	-	22.5	-	-	5.5	-	-	-	6560 / 4100	130 / 81	-
AP10TN135N	SOT-23	Single	N	100	20 / 20	-	-	2.1	-	-	135	145	-	-	980 / 610	20 / 12	-
AP10TN135M	SO-8	Single	N	100	20 / 20	-	-	3	-	-	135	145	-	-	980 / 610	20 / 12	-
AP10TN135K	SOT-223	Single	N	100	20 / 20	-	-	3	-	-	135	145	-	-	980 / 610	20 / 12	-
AP10TN135JB	TO-251S	Single	N	100	20 / 20	-	-	-	-	-	135	145	-	-	928 / 580	17 / 11	-
AP10TN135J	TO-251	Single	N	100	20 / 20	-	-	-	-	-	135	145	-	-	928 / 580	17 / 11	-
AP10TN135H	TO-252	Single	N	100	20 / 20	-	-	-	-	-	135	145	-	-	928 / 580	17 / 11	-
AP10TN030M	SO-8	Single	N	100	20 / 20	-	-	6.5	-	-	30	-	-	-	2160 / 1350	23 / 14	-
AP10TN028YT	PMPAK-3x3	Single	N	100	20 / 20	-	-	7.5	-	-	28	-	-	-	2160 / 1350	23 / 14	-
AP10TN028MT	PMPAK-5x6	Single	N	100	20 / -16	-	-	9.5	-	-	28	-	-	-	2160 / 1350	23 / 14	-
AP10TN010CMT	PMPAK-5x6	Single	N	100	20 / 20	-	-	17	-	-	10	-	-	-	3440 / 2150	65 / 41	-
AP10TN008CMT	PMPAK-5x6	Single	N	100	20 / 20	-	-	18.4	-	-	7.9	-	-	-	5760 / 3600	115 / 72	-
AP10PA067H	TO-252	Single	P	-100	20 / 20	-	-	-	-	-	67	-	-	-	1840 / 1150	38 / 24	-
AP10PA022MT	PMPAK-5x6	Single	P	-100	20 / 20	-	-	-11	-	-	22	-	-	-	4720 / 2950	88 / 55	-
AP10P135YT	PMPAK-3x3	Single	P	-100	20 / 20	-	-	-3.4	-	-	135	150	-	-	2600 / 1625	46 / 29	-
AP10P135M	SO-8	Single	P	-100	20 / 20	-	-	-3	-	-	135	150	-	-	2440 / 1525	46 / 29	-
AP10P067YT	PMPAK-3x3	Single	P	-100	20 / 20	-	-	-5.1	-	-	67	-	-	-	1792 / 1120	40 / 25	-
AP10P067MT	PMPAK-5x6	Single	P	-100	20 / 20	-	-	-6.4	-	-	67	-	-	-	1792 / 1120	40 / 25	-
AP10NC2R3CST8	SPPAK-8x8	Single	N	100	20 / 20	-	-	40.7	-	-	2.28	-	-	-	10000 / 6250	162 / 101	-
AP10NB6R9CST	SPPAK-5x6	Single	N	100	20 / 20	-	-	20	-	-	6.9	-	-	-	4768 / 2980	89 / 56	-
AP10NB5R5H	TO-252	Single	N	100	20 / 20	-	-	-	-	-	5.5	-	-	-	4720 / 2950	87 / 54	-
AP10NB5R0XT	PMPAK-5x6X	Single	N	100	20 / 20	-	-	24.5	-	-	5	-	-	-	4888 / 3055	96 / 60	-
AP10NB5R0LXT	PMPAK-5x6X	Single	N	100	20 / 20	-	-	24.5	-	-	5	8.4	-	-	5040 / 3150	108 / 67	-
AP10NB4R2LH	TO-252	Single	N	100	20 / 20	-	-	-	-	-	4.2	6.5	-	-	6320 / 3950	140 / 88	-
AP10NB4R2LH	TO-252	Single	N	100	20 / 20	-	-	-	-	-	4.2	6.5	-	-	6320 / 3950	140 / 88	-
AP10NB3R4LCMT	PMPAK-5x6	Single	N	100	20 / 20	-	-	28	-	-	3.4	5.6	-	-	6368 / 3980	150 / 94	-
AP10NB3R0CXT	PMPAK-5x6X	Single	N	100	20 / 20	-	-	30	-	-	3	-	-	-	8848 / 5530	-	-
AP10NB2R5WL	TO-247	Single	N	100	20 / 20	-	-	-	-	-	2.5	-	-	-	12160 / 7600	217 / 136	-
AP10NB2R0TL	TOLL	Single	N	100	20 / 20	-	-	-	-	-	2	-	-	-	12160 / 7600	217 / 136	-
AP10NA8R8J	TO-251	Single	N	100	20 / 20	-	-	-	-	-	8.8	-	-	-	3248 / 2030	67 / 42	-
AP10NA8R4R	TO-262	Single	N	100	20 / 20	-	-	-	-	-	8.4	-	-	-	3248 / 2030	67 / 42	-
AP10NA8R4P	TO-220	Single	N	100	20 / 20	-	-	-	-	-	8.4	-	-	-	3248 / 2030	67 / 42	-
AP10NA8R4MT	PMPAK-5x6	Single	N	100	20 / 20	-	-	17.8	-	-	8.4	-	-	-	3264 / 2040	68 / 43	-
AP10NA8R4IT	TO-220CFM-T	Single	N	100	20 / 20	-	-	-	-	-	8.4	-	-	-	3248 / 2030	67 / 42	-
AP10NA8R4H	TO-252	Single	N	100	20 / 20	-	-	-	-	-	8.4	-	-	-	3248 / 2030	67 / 42	-
AP10NA8R2LP	TO-220	Single	N	100	20 / 20	-	-	-	-	-	8.2	13.2	-	-	2720 / 1700	68 / 43	-
AP10NA8R2LMT	PMPAK-5x6	Single	N	100	20 / 20	-	-	17.7	-	-	8.2	11	-	-	2720 / 1700	68 / 43	-
AP10NA8R2LJV	TO-251VS	Single	N	100	20 / 20	-	-	-	-	-	8.2	13.2	-	-	2720 / 1700	68 / 43	-
AP10NA8R2LIT	TO-220CFM-T	Single	N	100	20 / 20	-	-	-	-	-	8.2	13.2	-	-	2720 / 1700	68 / 43	-
AP10NA8R2LH	TO-252	Single	N	100	20 / 20	-	-	-	-	-	8.2	13.2	-	-	2720 / 1700	68 / 43	-
AP10NA1R5TL-AT	TOLL	Single	N	100	20 / 20	-	-	-	-	-	1.5	-	-	-	16720 / 10450	328 / 205	-
AP10NA1R5TL	TOLL	Single	N	100	20 / 20	-	-	-	-	-	1.5	-	-	-	16960 / 10600	304 / 190	-
AP10NA034YT	PMPAK-3x3	Single	N	100	20 / 20	-	-	7	-	-	34	-	-	-	768 / 480	19 / 12	-
AP10NA034MT	PMPAK-5x6	Single	N	100	20 / 20	-	-	8.8	-	-	34	-	-	-	768 / 480	20 / 12	-
AP10NA034LYT	PMPAK-3x3	Single	N	100	20 / 20	-	-	7	-	-	34	56	-	-	640 / 400	20 / 12	-
AP10NA014YT	PMPAK-3x3	Single	N	100	20 / 20	-	-	10.8	-	-	14	-	-	-	1952 / 1220	44 / 28	-
AP10NA014MT	PMPAK-5x6	Single	N	100	20 / 20	-	-	13.7	-	-	14	-	-	-	1952 / 1220	44 / 28	-
AP10NA011P	TO-220	Single	N	100	20 / 20	-	-	-	-	-	11.6	-	-	-	2288 / 1430	56 / 35	-
AP10NA011MT	PMPAK-5x6	Single	N	100	20 / 20	-	-	15.5	-	-	11	-	-	-	2288 / 1430	51 / 32	-
AP10NA011LV	TO-251VS	Single	N	100	20 / 20	-	-	-	-	-	11	17.5	-	-	1920 / 1200	44 / 28	-
AP10NA011LH	TO-252	Single	N	100	20 / 20	-	-	-	-	-	11	17.5	-	-	1920 / 1200	44 / 28	-
AP10NA011J	TO-251	Single	N	100	20 / 20	-	-	-	-	-	11	-	-	-	2288 / 1430	56 / 35	-
AP10NA011IT	TO-220CFM-T	Single	N	100	20 / 20	-	-	-	-	-	11.6	-	-	-	2288 / 1430	56 / 35	-
AP10NA011H	TO-252	Single	N	100	20 / 20	-	-	-	-	-	11	-	-	-	2288 / 1430	56 / 35	-

AP10N8R8I	TO-220CFM	Single	N	100	20 / 20	-	-	-	-	-	-	8.8	-	-	-	5328 / 3330	105 / 66	-
AP10N7R5H	TO-252	Single	N	100	20 / 20	-	-	-	-	-	-	7.5	-	-	-	5200 / 3250	97 / 61	-
AP10N4R2WL	TO-247	Single	N	100	20 / 20	-	-	-	-	-	-	4.2	-	-	-	6560 / 4100	128 / 80	-
AP10N3R8S	TO-263	Single	N	100	20 / 20	-	-	-	-	-	-	3.88	-	-	-	6560 / 4100	136 / 85	-
AP10N3R8P	TO-220	Single	N	100	20 / 20	-	-	-	-	-	-	3.88	-	-	-	6560 / 4100	136 / 85	-
AP10N3R8IT	TO-220CFM-T	Single	N	100	20 / 20	-	-	-	-	-	-	3.88	-	-	-	6560 / 4100	131 / 82	-
AP10N3R5XT	PMPAK-5x6X	Single	N	100	20 / 20	-	-	28.5	-	-	-	3.5	-	-	-	6480 / 4050	134 / 84	-
AP10N2R5S6	TO-263-6L	Single	N	100	20 / 20	-	-	-	-	-	-	2.5	-	-	-	18080 / 11300	328 / 205	-
AP10N024H-DS	TO-252	Single	N	105	20 / 20	-	-	-	-	-	-	24	-	-	-	2160 / 1350	23 / 14	-
AP10N024H	TO-252	Single	N	100	20 / 20	-	-	-	-	-	-	24	-	-	-	2160 / 1350	23 / 14	-
AP10N012P	TO-220	Single	N	100	20 / 20	-	-	-	-	-	-	12.5	-	-	5	3600 / 2250	65 / 41	-
AP10N012J	TO-251	Single	N	100	20 / 20	-	-	-	-	-	-	12.5	-	-	-	3600 / 2250	65 / 41	-
AP10N012I	TO-220CFM	Single	N	100	20 / 20	-	-	-	-	-	-	12.5	-	-	-	3600 / 2250	65 / 41	-
AP10N011LM	SO-8	Single	N	100	20 / 20	-	-	11	-	-	-	11	-	-	-	1920 / 1200	44 / 28	-
AP10N011LJ	TO-251	Single	N	100	20 / 20	-	-	-	-	-	-	11	-	-	-	1920 / 1200	44 / 28	-
AP10N011LH	TO-252	Single	N	100	20 / 20	-	-	-	-	-	-	11	-	-	-	1920 / 1200	44 / 28	-
AP10C1K8EU6	SOT-363	Complementary (with ESD Diode)	P	-100	20 / 20	-	-	-	-	-	-	3600	5000	-	-	144 / 90	4 / 2	-
AP10C1K8EU6	SOT-363	Complementary (with ESD Diode)	N	100	20 / 20	-	-	-	-	-	-	1800	2500	-	-	120 / 75	3 / 2	-
AP10C160LDT1	DFN5045-12L	Complementary Common-Drain	2	100	20 / 20	-	-	2.7	-	-	-	160	200	-	-	1344 / 840	22 / 14	-
AP10C160LDT1	DFN5045-12L	Complementary Common-Drain	2	-100	20 / 20	-	-	-2.2	-	-	-	250	300	-	-	1728 / 1080	33 / 21	-
AP10C155YT	PMPAK-3x3	Complementary	P	-100	20 / 20	-	-	-2	-	-	-	285	-	-	-	1472 / 920	25 / 16	-
AP10C155YT	PMPAK-3x3	Complementary	N	100	20 / 20	-	-	2.8	-	-	-	155	-	-	-	1200 / 750	19 / 12	-
AP10C150MT	PMPAK-5x6	Complementary	P	-100	20 / 20	-	-	-3.2	-	-	-	160	-	-	-	3040 / 1900	51 / 32	-
AP10C150MT	PMPAK-5x6	Complementary	N	100	20 / 20	-	-	3.2	-	-	-	150	-	-	-	960 / 600	17 / 11	-
AP10C150M	SO-8	Complementary	P	-100	20 / 20	-	-	-2.5	-	-	-	160	-	-	-	3040 / 1900	51 / 32	-
AP10C150M	SO-8	Complementary	N	100	20 / 20	-	-	2.5	-	-	-	150	-	-	-	960 / 600	17 / 11	-
AP10C150H	TO-252-4L	Complementary Common-Drain	P	-100	20 / 20	-	-	-3.2	-	-	-	160	-	-	-	3040 / 1900	51 / 32	-
AP10C150H	TO-252-4L	Complementary Common-Drain	N	100	20 / 20	-	-	3.2	-	-	-	150	-	-	-	960 / 600	17 / 11	-
AP10C072DT1	DFN5045-12L	Complementary Common-Drain	2	100	20 / 20	-	-	4.1	-	-	-	72	-	-	-	3280 / 2050	51 / 32	-
AP10C072DT1	DFN5045-12L	Complementary Common-Drain	2	-100	20 / 20	-	-	-3	-	-	-	145	-	-	-	2912 / 1820	48 / 30	-
AP10C036LMT	PMPAK-5x6	Complementary	N	100	20 / 20	-	-	7.6	-	-	-	36	60	-	-	632 / 395	20 / 12	-
AP10C036LMT	PMPAK-5x6	Complementary	P	-100	20 / 20	-	-	-6	-	-	-	60	-	-	-	1824 / 1140	40 / 25	-
AP10A185M	SO-8	Dual	N	100	20 / 20	-	-	2.2	-	-	-	185	-	-	-	960 / 600	19 / 12	-
AP10A045YT	PMPAK-3x3	Dual	N	100	20 / 20	-	-	5.4	-	-	-	45	65	-	-	768 / 480	20 / 12	-
AP10A035MT	PMPAK-5x6	Dual	N	100	20 / 20	-	-	7.3	-	-	-	35	-	-	-	768 / 480	20 / 12	-
AP10I1ALMT	PMPAK-5x6	Single	P	-100	20 / 20	-	-	-7.1	-	-	-	52	72	-	-	2448 / 1530	56 / 35	-
AP09N90CW	TO-3P	Single	N	900	30 / 30	-	-	-	-	-	-	1400	-	-	-	5000 / 3097	80 / 50	-
AP09N70P-A	TO-220	Single	N	650	30 / 30	-	-	-	-	-	-	750	-	-	-	2660 / 2660	44 / 44	-
AP09N50I	TO-220CFM	Single	N	500	30 / 30	-	-	-	-	-	-	750	-	-	-	2200 / 1370	51 / 32	-
AP09N20H	TO-252	Single	N	200	30 / 30	-	-	-	-	-	-	380	-	-	-	800 / 500	37 / 23	-
AP08P20GP	TO-220	Single	P	-200	20 / 20	-	-	-	-	-	-	680	-	-	-	-	32 / 20	-
AP04N70BI-A	TO-220CFM	Single	N	650	30 / 30	-	-	-	-	-	-	2400	-	-	-	950 / 950	16 / 16	-
AP04N60J	TO-251	Single	N	620	30 / 30	-	-	-	-	-	-	2500	-	-	-	1200 / 740	30 / 19	-
AP04N60I-A	TO-220CFM	Single	N	650	30 / 30	-	-	-	-	-	-	2500	-	-	-	1200 / 740	31 / 19	-
AP03N70J	TO-251	Single	N	600	30 / 30	-	-	-	-	-	-	3600	-	-	-	600 / 600	11 / 11	-
AP03N70H	TO-252	Single	N	600	30 / 30	-	-	-	-	-	-	3600	-	-	-	600 / 600	11 / 11	-
AP02N90I	TO-220CFM	Single	N	900	30 / 30	-	-	-	-	-	-	7200	-	-	-	1000 / 630	20 / 12	-